



OLD BULL® MOLD GREASE with PTFE

IDEAL FOR GEARS, CAMS, CABLES, PINS, SLIDES, BEARINGS, CHAINS, LATHES, ETC.

PPE OLD BULL® PTFE (polytetrafluoroethylene) **Mold Grease** is a non-silicone, synthetic lubricating grease, specifically formulated for use around the mold. It provides excellent lubrication in both high and low temperature conditions, and also is waterproof and non-melting. It uses a higher concentrated blend of inhibitors that resist rust, corrosion and oxidation. It provides high performance under loads due to its superior load bearing ability. **PPE OLD BULL®** does not contain abrasive clay fillers.

NO ABRASIVE CLAY FILLERS!



**NO BULL
IT'S THE BEST!**

**OLD BULL®
IS ONLY
AVAILABLE
FROM PPE!**

*Pail has straight sides to accept pump device.

- Softer, thinner formula
- Superior Load Bearing Ability
- Temp. Range: -40 to 500°F
- Color: Beige
- Non-Melting
- Non-Silicone
- Anti-Corrosive
- Waterproof
- Forms an Adherent, but Slippery Film
- Homogenized @ 6,000 psi

50TH
ANNIVERSARY



ISO-9002
MANUFACTURED IN A
QUALITY SYSTEM CERTIFIED
FACILITY.

PART NO.	DESCRIPTION	QUANTITY PRICING		
		1-4	5-9	10+
NBG02	2 oz. Plastic Jar	\$3.70	\$3.55	\$3.40
NBG14	14 oz. Cartridge	\$16.35	\$15.65	\$14.95
NBG16	16 oz. Plastic Jar	\$17.70	\$16.95	\$16.20
*NBG08	8 lb. pail (1 gal.)	\$103.50	\$99.00	\$94.50
*NBG40	40 lb. pail (5 gal.)	\$475.00	\$455.00	---

OLD BULL® is a registered trademark of Plastic Process Equipment, Inc.



OLD BULL® ADVANCED PTFE MOLD GREASE

IDEAL FOR GEARS, CAMS, CABLES, PINS, SLIDES, BEARINGS, CHAINS, LATHES, ETC.

PPE OLD BULL® ADVANCED FORMULA PTFE Mold Grease offers a thicker, firmer & less tacky option to the standard Old Bull® Formula, while still providing the same performance and benefits. Its synthetic formula provides excellent lubrication in both high and low temperature conditions, and also is waterproof and non-melting. It uses a higher concentrated blend of inhibitors that resist rust, corrosion and oxidation. It provides high performance under loads due to its superior load bearing ability. **PPE OLD BULL®** does not contain abrasive clay fillers.



**PPE OLD BULL®
DOES NOT CONTAIN
ABRASIVE
CLAY FILLERS!**

**FOOD
GRADE
ALSO
AVAILABLE**

*Pail has straight sides to accept pump device.

- Thicker, less tacky formula
- Superior Load Bearing Ability
- Temp. Range: -40 to 500°F
- Color: Translucent to off white
- Non-Melting
- Non-Silicone
- Anti-Corrosive
- Waterproof
- Forms an Adherent, but Slippery Film
- Homogenized @ 6,000 psi



ISO-9002
MANUFACTURED IN A
QUALITY SYSTEM CERTIFIED
FACILITY.

PART NO.	DESCRIPTION	QUANTITY PRICING		
		1-4	5-9	10+
ABG02	2 oz. Plastic Jar	\$3.80	\$3.65	\$3.50
ABG14	14 oz. Cartridge	\$16.85	\$16.15	\$15.45
ABG16	16 oz. Plastic Jar	\$18.20	\$17.45	\$16.70
*ABG08	8 lb. pail (1 gal.)	\$105.50	\$101.00	\$96.50
*ABG40	40 lb. pail (5 gal.)	\$485.00	\$465.00	---

OLD BULL® is a registered trademark of Plastic Process Equipment, Inc.



PLASTIC PROCESS EQUIPMENT, INC.

EAST
8303 CORPORATE PARK DRIVE
MACEDONIA, OHIO 44056-2300
216-367-7000 • FAX: 216-367-7022
TOLL FREE: 800-321-0562

WEST
6385 MONTESSOURI STREET
LAS VEGAS, NEVADA 89113-1186
702-433-6385 • FAX: 702-433-6388
TOLL FREE: 800-258-8877

www.ppe.com
e-mail: sales@ppe.com

Toll Free: USA, Canada & Mexico
800-362-0706

Order Fax: 800-223-8305