




# PUSH-ON FITTING ASSEMBLY TOOL WITH HOSE CUTTER

- Fast, easy and portable.
- Two tools in one-presses fittings into hose and has a hose cutting blade.
- Handles push-lok hose 1/4" through 3/4" dia.
- Toggles-action
- Overall length 16"
- 4 pounds approximate weight

**TOOL Part No. 881540H** ..... \$75.00 ea.  
**BLADE Part No. 8815BL** ..... \$6.00 ea.



**IN STOCK!**




# HOSE FITTING INSTALLATION TOOL

- Fits 1/4" & 3/8" Dia. hose.
- Holds hose firmly.
- Pushes-on fittings easily.
- No lubricant required on hose or fittings.
- Made of glass filled nylon.
- Portable, hand operated.
- Saves your knuckles.

**Part No. KS1438** ..... \$28.55 ea.

STEP ONE:  
SQUEEZE  
THE HOSE



STEP TWO:  
PUSH ON  
THE FITTING

PUSH



# T-CLIPS

T-Clips provide a quick, adaptable and inexpensive answer to securing, attaching and routing of tubes, hoses and pipe. They are not only easy to use by the most inexperienced personnel, but allow your installations to look extremely neat and professional. T-Clips provide an exact, uniform spacing to dual runs and can be mounted on walls, cabinets, boards, enclosures and bulkheads. T-Clips are available in a wide range of sizes to fit almost any circular-sectioned item. A countersunk centerhole is provided in each T-Clip for the fastener of your choice.


Many commercial applications, such as the installations of hydraulic hoses, electrical conduits and wires, telephone and fibre optics, liquid and gas tubings and pipes, and automotive hoses can benefit from the ease of installation, safety, and the final appearance of the job.

MODEL NO.	SPACE NO.	HOLDING FROM	HOLDING TO	T-CLIP PRICES	SPACER PRICES
T4	-	5/32"	7/32"	\$ .40	-
T6	-	1/4"	9/32"	\$ .50	-
T8	D8	5/16"	11/32"	\$ .51	\$ .15
T10	D10	3/8"	15/32"	\$ .53	\$ .18
T12	D12	1/2"	19/32"	\$ .60	\$ .23
T15	D15	5/8"	23/32"	\$ .89	\$ .25
T18	D18	3/4"	27/32"	\$ 1.06	\$ .31
T22	D22	7/8"	31/32"	\$ 1.44	\$ .35


NOTE: Spacers are .200 thick.

**Many industries can use them:**


- Robotics
- Electrical
- Plumbing
- Hydraulics
- Pneumatics
- Heating
- Air Conditioning
- Refrigeration
- Machine Tools
- Construction
- Appliances
- Automotive
- Recreational Vehicles
- Medical Equipment
- Marine



1. Place open sides of T-Clip between tubes.



2. Snap T-Clip onto tubes with a quick, quarter turn.



3. T-Clip is ready for mounting with tubes held in a uniform spacing.

**NOTE:** Spacers are located between the mounting surface and the T-Clip. This gives room between the T-Clip and mounting surface.

www.ppe.com • e-mail: sales@ppe.com



## PLASTIC PROCESS EQUIPMENT, INC.

**PPE WEST** 6385 Montessouri Street, Las Vegas, Nevada 89113  
702-433-6385 • 800-258-8877 • Fax: 702-433-6388

**PPE SOUTH** 11218 Challenger Avenue, Odessa, Florida 33556  
727-834-8888 • 800-282-6783 • Fax: 727-834-8873

8303 CORPORATE PARK DRIVE, MACEDONIA (Cleveland), OHIO 44056, USA

216-367-7000 • Toll Free: 800-321-0562 • Fax: 216-367-7022 • Order Fax: 800-223-8305

Toll Free: USA, Canada & Mexico  
**800-362-0706**