




HI-HEAT FIBERGLASS ELECTRICAL TAPE



PPE Hi-Heat Fiberglass cloth adhesive back tape is ideal for high temperature applications such as heater bands, cartridge heaters, etc. The dielectric strength rating is 2500 volts with a temperature rating of -100°F to +500°F.

PART NO.	DESCRIPTION	PRICE
HFT-35	1/4" x 108 ft.	\$8.66 ea.
HFT-36	1/2" x 108 ft.	13.97 ea.
HFT-37	3/4" x 108 ft.	20.87 ea.



PVC ELECTRICAL TAPES

TWO BRANDS

RESISTANT TO OIL, WATER, WEAR, CHEMICALS AND SOLVENTS

GOOD QUALITY!

- 7 mil x 3/4" x 60 ft. long.
- Temp. range -20°F to +180°F.
- U.L. listed and passes 510 standards.
- For use up to 600V.
- Dielectric breakdown 9,000 volts.
- Black PVC film with clear rubber resin adhesive.



BEST QUALITY!

Replaces
Scotch® Brand by 3M

- 7 mil x 3/4" x 60 ft. long.
- Temp. range -20°F to +176°F.
- U.L. listed.
- For use up to 600V.
- Dielectric breakdown 9,000 volts.
- Comes in plastic storage container.

PART NO.	QUANTITY PRICING	
	1-9 ROLLS	10+ ROLLS
HFT-38	\$.80 ea.	\$.71 ea.

Both available in single rolls.

PART NO.	QUANTITY PRICING	
	1-9 ROLLS	10+ ROLLS
HFT-66	\$3.05 ea.	\$2.85 ea.

10 rolls per package.



GENERAL PURPOSE DUCT TAPE

A VERSATILE GENERAL PURPOSE POLY-COATED CLOTH-BACKED DUCT TAPE



FEATURES:

- COLOR: Gray
- SIZE: 2" x 180' (60 yds.)
- Standard Grade (9.5 Mil thick)
- Excellent adhesion to a wide variety of surfaces.
- Rubber-based adhesive
- Extra Holding Power
- 1,001 uses!
- Max. Temp Range 200°F

*We Improved the Quality a Lot!
We raised the Price a little!*

NC203 Cloth-Backed Duct Tape is laminated to a tightly woven cloth scrim with a layer of polyethylene coated cloth and then coated with an aggressive rubber-based adhesive.

FOR USE ON:

- HVAC duct sealing.
- Air conditioning duct sealing.
- Military specification packaging.
- Sound dampening.
- Splicing.
- High pressure sand blasting.
- Apollo 13

PART NO.	QUANTITY PRICING	
	1-5 ROLLS	6+ ROLLS
NC203	\$6.75 ea.	\$6.40 ea.

Beware of Cheap Vinyl Imitations!