





STARFLEX® HEATER BANDS

RUGGED, LONG LIFE ALUMINUM HEATERS



- The most rugged & reliable heater available.
- Long lasting tubular element.
- Practically contamination proof.
- Aluminum body provides excellent heat transfer to the barrel for uniform temperatures.
- Heaters open completely, allowing easy installation and eliminating the need to remove other items from the barrel.
- Durability of a cast-in heater at a fraction of the cost.
- Ideal for use on injection barrels, extruders and blow molding equipment.
- Dual voltage capability.


Starflex Heaters are manufactured by hydraulically pressing a highly efficient, rugged, long lasting tubular heater into a precision grooved aluminum channel. The heaters are clamped into place with low expansion stainless steel straps for the closest possible fit. These factors create a quick responding heater with uniform sheath temperatures, that is very resistant to contamination.



SPECIFICATIONS

- Max. Operating Temp: 650°F
- Max. Voltage: 277 Volts Per Half
- Max. Amps: 30 Amps
- Wattage Tolerance: +5%, -10%
- Max. Watt Density: 40 Watts Per Sq. In.
- Min. Diameters:
 - 1-1/2" wide bands = 3-1/2" I.D.
 - 2-1/2" wide bands = 5" I.D.
 - 3" wide bands = 5" I.D.
 - 4" wide bands = 5" I.D.
- Max. Diameter: 10 Ft.

MADE IN



U.S.A.



PLASTIC PROCESS EQUIPMENT, INC.

www.ppe.com • e-mail: sales@ppe.com

PPE WEST 6385 Montessouri Street, Las Vegas, Nevada 89113
702-433-6385 • 800-258-8877 • Fax: 702-433-6388

PPE SOUTH 11218 Challenger Avenue, Odessa, Florida 33556
727-834-8888 • 800-282-6783 • Fax: 727-834-8873

8303 CORPORATE PARK DRIVE, MACEDONIA (Cleveland), OHIO 44056, USA

216-367-7000 • Toll Free: 800-321-0562 • Fax: 216-367-7022 • Order Fax: 800-223-8305

Toll Free: USA, Canada & Mexico
800-362-0706