# **SAFETY DATA SHEET**

### 1. IDENTIFICATION OF THE SUBSTANCE/ PEREPARATION AND OF THE COMPANY / UNDERTAKING

<u>Product Identifier</u> Product Name	AD2210 Die Soap and Polishing Compound Bar			
Other means of identification				
Synonyms				
Recommended use of the chemical and restri	ction on use			
Recommended Use	Abrasive/ Polishing Compound			
Uses advised against	No information Available			
Details of the supplier of the safety data sheet	Details of the supplier of the safety data sheet			
Supplier Name Supplier Address	Plastic Process Equipment, Inc 8303 Corporate Park Drive Macedonia, OH 44056 USA			
Supplier Phone Number	Phone: 1-800-361-0706 Fax: 1-216-367-7022			
Supplier Email	Contact Phone: 1-216-367-7000 sales@ppe.com			

# 2. HAZARDS IDENTIFICATION

#### Classification

This item is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Formax polishing compounds are formulated with abrasives surrounded in a matrix of grease binders, waxes and or soap / water emulsions. Ingredient ratio proportions can be and are varied to meet individual buffing needs and surface conditioning. Compounds as shipped do not present a hazard. Abrasive residue particulates can be created. Proper ventilation and respirator recommended.

### GHS Label elements, including precautionary statement

Signal Word		<u>EMERGENCY OVERVIEW</u> None			
Hazard Statement		None	None		
The products/pro	oducts contain no substance	s which at their given conce	entration are considered to be hazardous to health.		
Appearance:	Premolded Cake Form	Physical State: Solid	Odor: Tallow Odor		
•	atements – Prevention nstructions before use				
<b>Precautionary St</b> None	atements – Response				
<b>Precautionary St</b> None	atements – Storage				
Precautionary St	atements – Disposal				

Precautionary Statements – Disposal None

### Hazards not otherwise classified (HNOC)

Not applicable

May cause slight eye irritation Prolonged or repeated contact may dry skin and cause irritation.

#### Interaction with other chemicals

No information available

### 3. COMPOSITION / INFORMATION ON INGREDIENTS.

Chemical Name	CAS No.	%
Steric Acid	57-11-4	12-15
Hydrogenated Fats	68953-18-4	8-21
Quartz	14808-60-7	66-75
Supplier Trade Secret		1-2

The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

Eye Contact:	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin Contact:	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation:	Remover to fresh air. If symptoms persist, call a physician.
Ingestion:	DO NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effect, both acute and delayed

Most important symptoms and effect No information available

Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines: Hazardous Component	OSHA PEL	ACGIH TLV
Quartz	(vacated) TWA: 0.1 mg/m3	TWA: 0.025 mg/m3

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir. 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Eyewash stations Ventilation systems	Showers
Individual protection meas	ures, such as personal protective equipment
Eye/Face Protection	For buffing machines wear safety glasses and/or face shield helmets. See OSH 29 CFR 1910.122 (Safety Glasses).
Skin and Body Protection	Protective work clothing, heavy duty gloves, body apron or belly pads, safety shoes as needed.
Respiratory Protection	Respiratory protection (specify type): OSHA 29 CFR/134 NIOSH/MSHA Approved respirators for particulates from buffing debris. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hearing Protection	Avoid prolonged excessive noise levels created by buffing and polishing operations. See: OSHA 29 CFR 1910.215 (Hearing Protection)
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and Chemical Properties

Physical State Appearance Color	Solid Premolded Cake I Tan	Form	Odor Odor Thre	eshold	Fatty Odor No information available
	ng range , gas)	Values No data available 120F/145F No data available No data available No data available No data available No data available		Remarks None kno None kno None kno None kno None kno	own own own own
Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other s Partition coefficier Autoignition temp Decomposition te	nt n-octanol/water erature	No data available No data available No data available Negligible Alkaline Cleaners Chlorinated Solver No data available No data available	nts	None kno None kno None kno None kno None kno None kno	own own own own own own

Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties

Other Information Softening Point No data available No data available No data available

No data available

None known None known

No data available

VOC Content (%) Particle Size Particle Size Distribution

None No data available

# **10. STABILITY AND REACTIVITY**

<u>Reactivity</u> No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Using under conditions of insufficient dust collecting systems or ventilation.

Incompatible materials Strong Oxidizers or Reducing Agents.

Hazardous Decomposition Products Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Dermal LD50

Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Component Information

Chemical Name

Information on toxicological effects Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.

Oral LD50

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product in the normal use of this product.

Inhalation LC50

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz		Group 1	Know	Х

IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen OSHA: (Occupational Safety & Health Administration) X - Present Target Organ EffectsEyes. Respiratory system. Skin.<br/>IARC (International Agency for Research on Cancer)<br/>Group 3 - Not Classifiable as to Carcinogenicity in HumansReproductive ToxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.STOT - repeated exposureNo information available.Chronic ToxicityNo known effect based on information supplied. Carcinogenic potential is unknown.<br/>Eyes. Respiratory system. Skin. Lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity. Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability No information available.

<u>Bioaccumulation</u> No information available

Other adverse effects No information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations. This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

DOT TDG MEX ICAO IATA	Proper Shipping Name Hazard Class Proper Shipping Name Hazard Class	NOT REGULATED NMFC-48580 Scouring Compound (Cake, Paste or Liquid form N.O.I.) N/A Not regulated Not regulated Not regulated NON REGULATED N/A
IMDG/IN RID ADR ADN	MO Hazard Class	Not regulated N/A Not regulated Not regulated Not regulated

### **15. REGULATORY INFORMATION**

International Inventories

tsca DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contains any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations** 

### California Proposition 65

**WARNING:** This product can expose you to Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to <u>www.P65Warnings.ca.gov</u>

#### U.S. State Right-to-Know Regulations

<b>Chemical Name</b> Quartz	<b>New Jersey</b> X	<b>Massachusetts</b> X	<b>Pennsylvania</b> X	<b>Rhode Island</b> X	Illinois			
International Regulations								
Mexico Grade		Slight risk Grade 1						
National occupational exposure limits								
<b>Component</b> Quartz	Carcinogen Status		<b>Exposure Limits</b> Mexico: TWA= 0.1 mg/m3					
Mexico - Occupational Exposure Limits - Carcinogens								
Canada_ WHMIS Hazard Class								

WHMIS Hazard Class Non-controlled

### **16. OTHER INFORMATION**

NFPA

NILA	Health Hazards 1 Flammability 0	Instability 0	Physical and Chemical Hazards	
HMIS	Health Hazards 1 Flammability 0	Physical Hazard 0	Personal Protection X	
Prepare	ed By	Plastic Process Equipment, Inc. 8303 Corporate Park Drive Macedonia, OH 44056 1-216-367-7000		
Revision Revision		10-APRIL-2019		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text Precautions to be taken in handling and storing: Handle with adequate ventilation for nuisance dust when using. See OSHA 29 CFR 1910.24 (Ventilation) and 29 CFR 1910.1000 (Air Contaminants). Other precautions: Keep liquids from freezing. Store away from excessive heat.

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, Plastic Process Equipment, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendation, and assumes no liability to any user thereof.