
E/Z Purge® - Super

Material Safety Data Sheet

APPLICATION

Concentrated Purging compound for the Polymer Industry

PRODUCT DESCRIPTION

Chalky tan liquid

HEALTH INFORMATION & FIRST AID TREATMENT

FIRST AID: -

EYE CONTACT: Flush with water

SKIN CONTACT: Wash with water

INHALATION: Non hazardous, remove to fresh air

INGESTION: Give two glasses of water. Do NOT induce vomiting. Obtain medical advice.

HEALTH HAZARDS – TOXICOLOGY:-

EYE CONTACT: Negligible hazard

SKIN CONTACT: Non hazardous

INHALATION: Non hazardous

INGESTION: Negligible hazard

PERSONAL PROTECTION

Use safety goggles to avoid splash up
Wash hands after handling if rubber gloves are not worn

FIRE AND EXPLOSION HAZARD DATA

Flash Point: Too high to measure by normal methods

Explosive Limits: Non explosive

SPILL CONTROL PROCEDURE

Absorb on dry material and discard as normal waste. Wash to drain with water.

PHYSICAL & CHEMICAL PROPERTIES

Chemical Name: None (Material is a proprietary mixture)

Vapor Pressure: 16mm @ 21°C

Specific Gravity (Water = 1): 1.23

Boiling Point: 235° F/ 113°C

Evaporation Rate: Not applicable

Viscosity Of Liquid: 6,800 cps

Freezing/Melting Point: Not applicable

Solubility In Water: Infinite
Biodegradability: Highly biodegradable

REACTIVITY DATA

Stability: Stable
Conditions To Avoid Instability: Not applicable
Hazardous Polymerization: Will not occur
Conditions To Avoid Hazardous Polymerization: Not applicable
Materials & Conditions to Avoid Incompatibility:

Materials: None
Conditions: Protect from Freezing

Hazardous Decomposition Products: None

TRANSPORTATION & STORAGE

Usual Shipping Containers: Quart bottles in cases, 5 gallon pails, 55 gallon drums
Storage Temperature: Ambient
Transport Temperature: Ambient

HAZARD CLASSIFICATION

Product is classified as non-hazardous for all modes of transportation

The information herein is given in good faith and to the best of our knowledge. No warranty, express or implied, is made.

7/26/2011