

Version 1.0	Revision Date: 02/12/2015		SDS Number: 077-00001	Date of last issue: - Date of first issue: 02/12/2015		
SECTION 1. IDENTIFICATION						
Product name		:	GOJO® Lemon Hand Cleaner			
Manu	facturer or supplier's	deta	ails			
	any name of supplier	:		Inc.		
Addre	SS	:	One GOJO Plaza Akron OH 44311	, Suite 500		
Telep	hone	:	1 (330) 255-6000			
Emerg	gency telephone	:	1-800-424-9300 CHEMTREC			
Reco	mmended use of the o	chen	nical and restriction	ons on use		
Recor	Recommended use		Skin-care			
Recommended use Restrictions on use		:	consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage	: Category 1
GHS Label element Hazard pictograms	:
Signal Word	: Danger
Hazard Statements	: H318 Causes serious eye damage.
Precautionary Statements	: Prevention: P280 Wear eye protection/ face protection. Response:



Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015
		water for sever and easy to do	• P338 + P310 IF IN EYES: Rinse cautiously with ral minutes. Remove contact lenses, if present . Continue rinsing. Immediately call a POISON octor/ physician.
Othe	r hazards		
Repe	ated exposure may c	ause skin dryness or ci	racking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
White mineral oil (petroleum)	8042-47-5	>= 10 - < 20
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medica advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	In case of contact, immediately flush eyes wit for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.	h plenty of water
If swallowed	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed	Prolonged or repeated contact may dry skin a irritation. Causes serious eye damage.	and cause
Protection of first-aiders	First Aid responders should pay attention to s and use the recommended personal protectiv when the potential for exposure exists.	
Notes to physician	Treat symptomatically and supportively.	



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57077-00001	Date of first issue: 02/12/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.	
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding	



Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015				
		certain local or	national requirements.				
SECTION	I 7. HANDLING AND S	TORAGE					
Tech	nical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.				
Loca	I/Total ventilation	: Use only with a	dequate ventilation.				
Advice on safe handling :		Do not swallow Do not get in ey Handle in acco practice. Keep container	n of vapor or mist. /es. rdance with good industrial hygiene and safety				
Conc	litions for safe storage	Keep tightly clo	y labeled containers. sed. ance with the particular national regulations.				
Mate	rials to avoid	: Do not store wi Strong oxidizing	th the following product types: g agents				

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Ingredients with workplace control parameters

Hazardous components without workplace control parameters

Ingredients CAS-No.



ersion 0	Revision Date: 02/12/2015		SDS Number: 077-00001	Date of last issue: - Date of first issue: 02/12/2015
C13-ri	ylated branched C11-14 ch alcohols	,	78330-21-9	
Sodiu Hydro	m xymethylglycinate		70161-44-3	
Engin	eering measures	:		ate ventilation, especially in confined areas. cplace exposure concentrations.
Perso	nal protective equipm	ent		
Respir	ratory protection	:	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifying hazardous ch supplied respi release, expo	ocal exhaust ventilation is recommended to or exposures below recommended limits. Where is are above recommended limits or are propriate respiratory protection should be worn. respirator regulations (29 CFR 1910.134) and ISHA approved respirators. Protection provided g respirators against exposure to any emical is limited. Use a positive pressure air irator if there is any potential for uncontrolled sure levels are unknown, or any other where air purifying respirators may not provide tection.
	protection terial	:	Impervious gl	oves
Rer	narks	:	on the concert time is not det For special ap resistance to gloves with th	is to protect hands against chemicals depending htration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective e glove manufacturer. Wash hands before the end of workday.
Eye pi	rotection	:	Chemical resi	wing personal protective equipment: stant goggles must be worn. e likely to occur, wear:
Skin a	and body protection	:	resistance dat potential. Skin contact r	riate protective clothing based on chemical ta and an assessment of the local exposure nust be avoided by using impervious protective es, aprons, boots, etc).
Hygiei	ne measures	:	located close When using d	ye flushing systems and safety showers are to the working place. o not eat, drink or smoke. inated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: cream



Version 1.0	Revision Date: 02/12/2015		DS Number: 77-00001	Date of last issue: - Date of first issue: 02/12/2015
Cold)r		opaque, yellow	
Odo			citrus	
	r Threshold		No data available	
pН			8.5	
	ing point/freezing point	:)
	al boiling point and boiling	:	No data available	
Flas	h point	:	> 100 °C	
Eva	poration rate	:	No data available)
Flam	nmability (solid, gas)	:	Not applicable	
Upp	er explosion limit	:	No data available	9
Low	er explosion limit	:	No data available	9
Vap	or pressure	:	No data available	9
Rela	tive vapor density	:	No data available)
Den	sity	:	0.88 g/cm3	
	bility(ies) /ater solubility	:	soluble	
	ition coefficient: n- nol/water	:	Not applicable	
Auto	pignition temperature	:	No data available)
Dec	omposition temperature	:	The substance or	r mixture is not classified self-reactive.
	osity iscosity, kinematic	:	25,000 - 50,000 r	mm2/s (20 °C)
Expl	osive properties	:	Not explosive	
Oxic	lizing properties	:	The substance or	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.	
Chemical stability	: Stable under normal conditions.	



Vers 1.0	sion	Revision Date: 02/12/2015	-	DS Number: 077-00001	Date of last issue: - Date of first issue: 02/12/2015
	Possibi tions	lity of hazardous reac-	:	Can react with st	rong oxidizing agents.
	Condition	ons to avoid	:	None known.	
	Incomp	atible materials	:	Oxidizing agents	
	Hazard product	ous decomposition s	:	No hazardous de	ecomposition products are known.
SEC	TION 1	1. TOXICOLOGICAL I	NFC	RMATION	
	Informa Inhalati Skin co Ingestic Eye cor	ntact	of e	xposure	
		toxicity			
		ssified based on availa	ble i	nformation.	
	Produc Acute c	<u>st:</u> oral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 5,000 mg/kg on method
	Acute c	tes (petroleum), hydr oral toxicity nhalation toxicity	:	ated light: LD50 (Rat): > 5,0 LC50 (Rat): > 5.3 Exposure time: 4 Test atmosphere:	mg/l h
				Assessment: The inhalation toxicity	substance or mixture has no acute on data from similar materials
	Acute c	lermal toxicity	:	LD50 (Rabbit): > 3 Assessment: The toxicity	3,160 mg/kg substance or mixture has no acute dermal
		mineral oil (petroleum pral toxicity		LD50 (Rat): > 5,0	00 mg/kg
	Acute in	nhalation toxicity	:	LC50 (Rat): > 5 m Exposure time: 4 Test atmosphere: Assessment: The inhalation toxicity	ĥ
	Acute c	lermal toxicity	:	LD50 (Rabbit): > 2 Assessment: The toxicity	2,000 mg/kg substance or mixture has no acute dermal
		rlated branched C11-1 bral toxicity		13-rich alcohols Acute toxicity esti	



Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015
		Method: Exp	ert judgment
-	bylene glycol: te oral toxicity	: LD50 (Rat): >	> 5,000 mg/kg
Acut	e inhalation toxicity	Exposure tim Test atmospl	nere: dust/mist The substance or mixture has no acute
Acut	e dermal toxicity		:): > 2,000 mg/kg The substance or mixture has no acute dermal
	olatum: e oral toxicity		 5,000 mg/kg D Test Guideline 401 sed on data from similar materials
Acut	e dermal toxicity	Assessment: toxicity	> 2,000 mg/kg CD Test Guideline 402 The substance or mixture has no acute dermal sed on data from similar materials
	ium Hydroxymethylgl e oral toxicity	ycinate: : LD50 (Rat): ´	,050 mg/kg
-	corrosion/irritation classified based on ava	ilable information.	
	<u>luct:</u> ult: No skin irritation		
Dist	<u>edients:</u> illates (petroleum), hy essment: Repeated exp		in dryness or cracking.
Spee	te mineral oil (petrole cies: Rabbit ult: No skin irritation	um):	
Spec Res	oxylated branched C1 cies: Rabbit ult: No skin irritation narks: Based on data fro		hols:
Spec Meth	bylene glycol: cies: Rabbit nod: OECD Test Guidel ult: No skin irritation	ine 404	

Petrolatum:



Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015					
Me Re Re So	ecies: Rabbit ethod: OECD Test Guideli sult: No skin irritation marks: Based on data fro dium Hydroxymethylgly ecies: Rabbit sult: Skin irritation	m similar materials						
	Serious eye damage/eye irritation Causes serious eye damage.							
<u>Inc</u> Dis Sp	Ingredients: Distillates (petroleum), hydrotreated light: Species: Rabbit Result: No eye irritation							
Sp	White mineral oil (petroleum): Species: Rabbit Result: No eye irritation							
Re	Ethoxylated branched C11-14, C13-rich alcohols: Result: Irreversible effects on the eye Remarks: Based on data from similar materials							
Sp Re	opylene glycol: ecies: Rabbit sult: No eye irritation ethod: OECD Test Guideli	ne 405						
Petrolatum: Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405 Remarks: Based on data from similar materials								
Sp	Sodium Hydroxymethylglycinate: Species: Rabbit Result: Irritation to eyes, reversing within 21 days							
Sk	spiratory or skin sensit in sensitization: Not class spiratory sensitization: No	ified based on availabl						
Pro	oduct:							
	sessment: Does not caus	e skin sensitization.						
Di: Te	gredients: stillates (petroleum), hy st Type: Maximization Te utes of exposure: Skin co	st (GPMT)						
Sp	ecies: Guinea pig sult: negative							



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57077-00001	Date of first issue: 02/12/2015

Remarks: Based on data from similar materials

White mineral oil (petroleum):

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Result: negative

Ethoxylated branched C11-14, C13-rich alcohols:

Test Type: Human repeat insult patch test (HRIPT) Routes of exposure: Skin contact Result: negative Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

Petrolatum:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: positive

Assessment: Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo :	Test Type: Chromosomal aberration Species: Rat Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials
White mineral oil (petroleum): Genotoxicity in vitro :	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)



ersion D	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015
		Method: OECI Result: negativ	ute: Intraperitoneal injection D Test Guideline 474
	lene glycol: oxicity in vitro	: Test Type: Bad Result: negativ	cterial reverse mutation assay (AMES) /e
Genot	oxicity in vivo	Species: Mous	ute: Intraperitoneal injection
Petrol Genot	atum: oxicity in vitro	Result: negativ	romosome aberration test in vitro /e ed on data from similar materials
Genot	oxicity in vivo	cytogenetic as Species: Mous Application Ro Method: OECI Result: negativ	e ute: Intraperitoneal injection D Test Guideline 474
	m Hydroxymethylg oxicity in vitro		cterial reverse mutation assay (AMES) /e
Genot	oxicity in vivo	: Test Type: Un mammalian liv Species: Rat Result: negativ	
	nogenicity assified based on ava	ailable information.	
White Specie Applic Expos	dients: mineral oil (petrole es: Rat ation Route: Ingestio ure time: 24 Months :: negative		
Specie Applic Expos	t lene glycol: es: Rat ation Route: Ingestio ure time: 2 Years :: negative	n	
Deter	atum:		



ersion 0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015		
Expos	ation Route: Ingestion ure time: 2 Years :: negative				
IARC			this product present at levels greater than or identified as probable, possible or confirmed on by IARC.		
OSH/	A	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.			
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
-	ductive toxicity assified based on availa	ble information.			
Inarea	dients:				
Distill	ates (petroleum), hydi s on fertility	: Test Type: Or Species: Rat Application Ro Result: negati	ne-generation reproduction toxicity study oute: Ingestion ve sed on data from similar materials		
Effects	s on fetal development	t : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative			
	mineral oil (petroleun s on fertility	: Test Type: Or Species: Rat	ne-generation reproduction toxicity study oute: Skin contact ve		
Effects	s on fetal development	Species: Rat	nbryo-fetal development oute: Ingestion ve		
	r lene glycol: s on fertility	: Species: Mou Application Ro Result: negati	pute: Ingestion		
Effects	s on fetal development	Species: Mou	oute: Ingestion		
Petrol	a tum: s on fertility		production/Developmental toxicity screening		



Version 1.0	١	Revision Date: 02/12/2015		SDS Number: 077-00001	Date of last issue: - Date of first issue: 02/12/2015	
				test Species: Rat Application Route Result: negative Remarks: Based	e: Ingestion on data from similar materials	
Eff	Effects on fetal development :			Species: Rat Application Route Result: negative	yo-fetal development e: Skin contact on data from similar materials	
Application					e: Ingestion	
ST	TOT-	single exposure				
Nc	ot cla	ssified based on availa	ble	information.		
		repeated exposure				
Nc	ot cla	ssified based on availa	ble	information.		
Re	Repeated dose toxicity					
Dis Sp NC Ap Ex	Ingredients:Distillates (petroleum), hydrotreated light:Species: RatNOAEL: > 10.4 mg/lApplication Route: inhalation (vapor)Exposure time: 90 dRemarks: Based on data from similar materialsWhite mineral oil (petroleum):Species: RatLOAEL: 160 mg/kgApplication Route: IngestionExposure time: 90 d					
Sp LC Ap						
LĊ Ap Ex	Species: Rat LOAEL: >= 1 mg/l Application Route: inhalation (dust/mist/fume) Exposure time: 4 w Method: OECD Test Guideline 412					
Sp NC Ap	oecie DAEI oplica	ene glycol: s: Rat .: 1,700 mg/kg tion Route: Ingestion ire time: 2 y				
Sp NC	oecie DAEL	atum: s: Rat .: 5,000 mg/kg tion Route: Ingestion				



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57077-00001	Date of first issue: 02/12/2015

Exposure time: 2 y

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

White mineral oil (petroleum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:								
Distillates (petroleum), hydrotreated light:								
Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l						
		Exposure time: 96 h						
		Test substance: Water Accommodated Fraction						
		Method: OECD Test Guideline 203						
Toxicity to daphnia and other	:	EL50 (Acartia tonsa): > 3,193 mg/l						
aquatic invertebrates		Exposure time: 48 h						
		Test substance: Water Accommodated Fraction						
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l						
		Exposure time: 72 h						
		Test substance: Water Accommodated Fraction						
		NOELR (Skeletonema costatum (marine diatom)): 993 mg/l						
		Exposure time: 72 h						
		Test substance: Water Accommodated Fraction						
	:	NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l						
aquatic invertebrates		Exposure time: 8 d						
(Chronic toxicity)		Test substance: Water Accommodated Fraction						
Toxicity to bacteria	:	EC50: > 100 mg/l						
		Exposure time: 3 h						
White mineral oil (petroleum):	:							
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l						
		Exposure time: 96 h						
		Method: OECD Test Guideline 203						



Vers 1.0	sion	Revision Date: 02/12/2015		SDS Number: 077-00001	Date of last issue: - Date of first issue: 02/12/2015
		v to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	Toxicity	∕ to algae	:	NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
	Toxicity toxicity	/ to fish (Chronic)	:	NOEC (Oncorhyn Exposure time: 28	chus mykiss (rainbow trout)): 1,000 mg/l d
	aquatic	/ to daphnia and other invertebrates ic toxicity)	:	NOEC (Daphnia n Exposure time: 21	nagna (Water flea)): 1,000 mg/l d
	Ethoxy Toxicity	<pre>/lated branched C11-1 / to fish</pre>		LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 5.6 mg/l
		to daphnia and other invertebrates	:	Exposure time: 48	agna (Water flea)): > 1 - 10 mg/l h on data from similar materials
	Toxicity	∕ to algae	:	EC50: > 1 - 10 mg Exposure time: 96 Remarks: Based o	
	Toxicity toxicity)	/ to fish (Chronic)	:	Exposure time: 30	nacrochirus (Bluegill sunfish)): > 0.33 mg/l d on data from similar materials
	aquatic	 to daphnia and other invertebrates toxicity) 	:	Exposure time: 21	nagna (Water flea)): 0.77 mg/l d on data from similar materials
	Propyl Toxicity	ene glycol: / to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l i h
		<i>t</i> to daphnia and other invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 18,340 mg/l s h
	Toxicity	∕ to algae	:	EC50 (Skeletoner Exposure time: 48 Method: OECD Te	
	Toxicity toxicity	/ to fish (Chronic)	:	Chronic Toxicity V Exposure time: 30	
	aquatic	/ to daphnia and other invertebrates ic toxicity)	:	NOEC (Ceriodaph Exposure time: 7 d	nia dubia (water flea)): 29,000 mg/l d



/ersion I.0	Revision Date: 02/12/2015	MSDS Number:Date of last issue: -57077-00001Date of first issue: 02/12/2015
Toxicit	ty to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h
Petrol Toxicit	l atum: ty to fish	 LL50 (Pimephales promelas (fathead minnow)): > 100 mg Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
	ty to daphnia and other c invertebrates	 EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicit	ty to algae	 NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
aquati	ty to daphnia and other c invertebrates nic toxicity)	 NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
	m Hydroxymethylglyc ty to fish	i nate: : LC50: > 10 - 100 mg/l Exposure time: 96 h
	ty to daphnia and other c invertebrates	: EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l Exposure time: 48 h
Toxicit	ty to algae	 ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10 - 100 mg/l Exposure time: 72 h
Toxicit	ty to bacteria	: EC50: > 100 mg/l Exposure time: 120 h
Persis	stence and degradabil	ty
Distill	<mark>lients:</mark> ates (petroleum), hydr gradability	otreated light: : Result: Readily biodegradable. Biodegradation: 82 % Exposure time: 24 d Method: OECD Test Guideline 301F
	mineral oil (petroleun gradability	 Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d



.0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/2015
Etho	xvlated branched C1	11-14, C13-rich alcoho	ls:
	egradability	: Result: Readily	
		Biodegradation	
		Exposure time:	
			Test Guideline 301F
		Remarks: Base	d on data from similar materials
Prop	ylene glycol:		
Biode	egradability	: Result: Readily	
		Biodegradation	
		Exposure time:	
		Method: OECD	Test Guideline 301F
	olatum:		
Biode	egradability		dily biodegradable.
		Biodegradation	
		Exposure time:	Test Guideline 301F
			d on data from similar materials
	um Hydroxymethylg egradability	-	biodegradable
Biode	egradability	: Result: Readily	biodegradable.
Biode Bioa	egradability	: Result: Readily	biodegradable.
Biode Bioae Ingre	egradability ccumulative potentia	: Result: Readily	biodegradable.
Biode Bioa Ingre Prop	egradability ccumulative potentia edients: ylene glycol:	: Result: Readily	biodegradable.
Biode Bioa Ingre Prop Partit	egradability ccumulative potentia	: Result: Readily	biodegradable.
Biode Bioa Ingre Prop Partit octar	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water	: Result: Readily al : log Pow: -1.07	biodegradable.
Biode Bioa Ingre Prop Partit octar Sodi	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water um Hydroxymethylg	: Result: Readily al : log Pow: -1.07 lycinate:	biodegradable.
Biode Bioa Ingre Prop Partit octar Sodi Partit	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water	: Result: Readily al : log Pow: -1.07	biodegradable.
Biode Bioa Ingre Prop Partit octar Sodi Partit octar	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water um Hydroxymethylg tion coefficient: n- nol/water	: Result: Readily al : log Pow: -1.07 lycinate:	biodegradable.
Biode Bioa Ingre Partit octar Sodi Partit octar Mobi	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water um Hydroxymethylg tion coefficient: n- nol/water	: Result: Readily al : log Pow: -1.07 lycinate:	biodegradable.
Biode Bioa Ingre Partit octar Sodi Partit octar Mobi	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water um Hydroxymethylg tion coefficient: n- nol/water	: Result: Readily al : log Pow: -1.07 lycinate:	biodegradable.
Biode Bioa Ingre Prop Partit octar Sodi Partit octar Mobi No da Othe	egradability ccumulative potentia edients: ylene glycol: tion coefficient: n- nol/water um Hydroxymethylg tion coefficient: n- nol/water	: Result: Readily al : log Pow: -1.07 lycinate:	biodegradable.

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57077-00001	Date of first issue: 02/12/2015

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know		
Distillates (petroleum), hydrotreated light	64742-47-8	30 - 50 %
Water	7732-18-5	30 - 50 %
White mineral oil (petroleum)	8042-47-5	10 - 20 %
Oleic acid	112-80-1	5 - 10 %
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	1 - 5 %
Propylene glycol	57-55-6	1 - 5 %



Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57077-00001	Date of last issue: - Date of first issue: 02/12/	2015
	Petrolatum Sodium hyd		8009-03-8 1310-73-2	1 - 5 % 0.1 - 1 %
New	Jersey Right To Know	N		
	Water White mine Oleic acid	petroleum), hydrotrea eral oil (petroleum) d branched C11-14, C glycol	7732-18-5 8042-47-5 112-80-1	30 - 50 % 30 - 50 % 10 - 20 % 5 - 10 % 1 - 5 % 1 - 5 %
Califo	ornia Prop 65		bes not contain any chemical nia to cause cancer, birth, or efects.	
The i	naredients of this pro	oduct are reported in	the following inventories:	
REAC	•	•	(pre-)registered or exempt.	
TSCA	N .		bstances in this product are e y or are in compliance with a	
DSL		1999 and NSN	bstances in this product com R and are on or exempt from estic Substances List (DSL).	
AICS		: All ingredients	listed or exempt.	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)




Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/12/2015	57077-00001	Date of first issue: 02/12/2015

SECTION 16. OTHER INFORMATION

Further information





HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

	••	
		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL		USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA		8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/12/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8