# SAFETY DATA SHEET.

Issuing date 28-Apr-2017 Revision Date 12-Mar-2018 Version 2.01

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name S-124 PARTING AGENT SIL.SPRAY

Recommended use of the chemical

and restrictions on use

Product code F03131

Product Type Extremely Flammable Aerosol

Synonyms None

Supplier's details

Recommended Use silicone spray.

Uses advised against No information available

Manufacturer:

Plastic Process Equipment,Inc. 8303 Corporate Park Dr. Macedonia, Ohio 44056 Phone: 800-321-0562

Emergency telephone number

**Chemical Emergency Phone** 

Number

1-800-262-8200 ID 1195 (UNITED STATES)

# 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### DANGER

#### **Hazard Statements**

Causes skin irritation

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness.

May cause damage to organs (Central Nervous System, Eyes, Peripheral Nervous System, Respiratory System, and Skin)

through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Clear Physical state Aerosol Odor Solvent

# **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces.-No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention.

Specific treatment (see first aid on this label)

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF SWALLOWED: Immediately call a poison center/doctor

Do NOT induce vomiting.

Revision Date 12-Mar-2018

**Precautionary Statements - Storage** 

Store locked up

Store in a well-ventilated place. Keep container tightly closed.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0.000001% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
1,1-DIFLUOROETHANE	75-37-6	50-60
DIMETHYLETHER	115-10-6	30-40
HEXANE	110-54-3	10-20
DIMETHYL POLYSILOXANE	63148-62-9	1-10

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**General advice** Avoid contact with eyes, skin, and clothing. Avoid breathing vapors, mist, or gas.

**Eye contact** Immediately flush with plenty of water for at least 15 minutes. After initial flushing, remove

any contact lenses and continue flushing. If eye irritation persists, consult a doctor.

**Skin contact** Wash off with soap and plenty of water. Remove and wash contaminated clothing before

re-use. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped,

contact emergency medical services immediately.

Ingestion Call a physician or Poison Control Center immediately. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. Risk of product entering the lungs on

vomiting after ingestion.

Most important symptoms/effects, acute and delayed

Main Symptoms Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause

respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Revision Date 12-Mar-2018

#### **Suitable Extinguishing Media**

Water fog. Dry chemical. Foam. Carbon dioxide (CO2), Cool containers/tanks with water spray. Water fog. Carbon Dioxide (CO2), Foam, Dry Chemical. Cool Tanks/ containers with water spray.

Unsuitable Extinguishing Media . Do not smoke. Cool containers / tanks with water spray. Remove all sources of ignition. Do not use a solid water stream as it may scatter and spread fire. Keep away from sources of ignition - No smoking.

#### Specific hazards arising from the chemical

Extremely Flammable / Flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Keep product and empty container away from heat and sources of ignition.

#### **Explosion Data**

Sensitivity to Mechanical Impact none. **Sensitivity to Static Discharge** 

#### **Protective Equipment and Precautions for Firefighters**

In the event of fire and/or explosion do not breathe fumes. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Use with adequate ventiliation to keep the exposure levels below the OELS. Follow safe **Personal precautions** 

handling advice and personal protective equipment recommendations.

**Environmental precautions** 

Vapors can accumulate in low areas. Report spills as required by local and federal **Environmental precautions** 

regulations. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Should not be released into the environment.

# Methods and materials for containment and cleaning up

**Methods for Containment** Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal. Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Prevent product from entering drains.

Soak up with inert absorbent material. Contain liquid and collect with an inter, Methods for cleaning up

non-combustible material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid breathing vapors or mists, Avoid contact with skin, eves and clothing. Keep away Advice on safe handling

from open flames, hot surfaces and sources of ignition. Contents under pressure, Do not puncture or incinerate cans. Handle in accordance with good industrial hygiene and safety

practice. Take precautionary measures against static discharges.

# Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces, and sources of ignition. Keep in properly labeled containers. Keep out

of the reach of children. Store locked up.

Incompatible products Strong acids, alkalis, oxidizing agents.

\_\_\_\_\_

Aerosol Level

1

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,1-DIFLUOROETHANE	TWA 1000 PPM 8 hours	-	-
75-37-6			
DIMETHYLETHER	STEL: 500 PPM	TWX: 400 PPM	IDLH: 1900 PPM (10 % LEL)
115-10-6	TWA: 400PPM	TWA: 1200 mg/m <sup>3</sup>	
HEXANE	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	Skin - potential significant	TWA: 1800 mg/m <sup>3</sup>	TWA: 50 ppm
	contribution to overall exposure	(vacated) TWA: 50 ppm	TWA: 180 mg/m <sup>3</sup>
	by the cutaneous route	(vacated) TWA: 180 mg/m <sup>3</sup>	

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

**Engineering Measures**Ventilation systems. Use adequate ventilation to keep the exposure levels below the

occupational exposure limits. Showers. Eyewash stations. Showers, eyewash stations, and

ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Do not eat, drink or smoke when using this product. Remove and wash contaminated

clothing before re-use. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Avoid breathing vapors,

mist or gas. Wear personal protective equipment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Aerosol

Appearance Clear Odor Solvent

Color Clear Odor Threshold

Property Values Remarks • Methods

pH No information available

Melting/freezing point No information available

**Boiling point/boiling range**Flash Point

No information available

-41.1 °C / -42 °F

Based on propellant

Evaporation rate No information available Flammability (solid, gas) No information available

Revision Date 12-Mar-2018

Flammability Limits in Air No information available.

upper flammability limit

lower flammability limit

Vapor pressure No information available Vapor density No information available

No information available

**Specific Gravity** .932 Water solubility None

Partition coefficient: n-octanol/water

**Autoignition temperature Decomposition temperature**  No information available

Not applicable

Viscosity **Explosive properties** 

Other information

46.08 VOC Content(%) **MIR Value** 0.46

**MIR Coating Category** MRC - Mold Release Coating < 1.10 MIR

# 10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage

conditions

**Chemical stability** 

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

**Conditions to Avoid** 

Extremes of temperature and direct sunlight.

**Incompatible Materials** 

Strong acids, alkalis, oxidizing agents.

**Hazardous Decomposition Products** 

Carbon oxides, Hydrocarbons, Fumes.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

May cause respiratory irritation. May cause drowsiness or dizziness. Inhalation

Eye contact Eye irritation may occur if excessive exposure to product occurs.

Causes skin irritation. Skin contact

Ingestion May be fatal if swallowed and enters airways.

Component Information

Component information			
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
DIMETHYLETHER 115-10-6	-	-	= 308.5 mg/L (Rat) 4 h
HEXANE 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg ( Rabbit )	= 48000 ppm (Rat) 4 h

# Information on toxicological effects

Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause **Symptoms** 

respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs (listed below) through prolonged or repeated exposure. May be fatal if swallowed and

enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Under normal conditions there is no eye irritation. Excessive conditions to product may Eye damage/irritation

cause eve irritation.

Sensitization Not a known sensitizer. **Germ Cell Mutagenicity** Not a germ cell mutagen.

Carcinogenicity There are no known carcinogenic chemicals in this product.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

Specific target organ systemic toxicity (single exposure)

Specific target organ systemic

toxicity (repeated exposure) Chronic toxicity

May cause damage to target organs listed below through prolonged or repeated exposure.

May cause respiratory irritation. May cause drowsiness and dizziness.

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and

potential cardiac arrest.

**Target Organ Effects Neurological effects** 

Eyes, Skin, Respiratory System, Central Nervous System, and Peripheral Nervous System. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

May be fatal if swallowed and enters airways. **Aspiration hazard** 

Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.000001% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 176747 mg/kg ATEmix (dermal) 21210 mg/kg ATEmix (inhalation-gas) 78274 mg/l ATEmix (inhalation-vapor) 339355 mg/l

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
HEXANE 110-54-3	-	2.1 - 2.98 mg/L LC50 Pimephales promelas 96h flow-through	-	-
DIMETHYL POLYSILOXANE 63148-62-9	-	-	-	>10,000mg/L EC50 Daaphina magnma 48 h

# Persistence and degradability

**Bioaccumulation** 

#### F03131 - S-124 PARTING AGENT SIL.SPRAY

Revision Date 12-Mar-2018

Chemical Name	log Pow
DIMETHYLETHER	-0.18
115-10-6	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations. Dispose of

contents/container in accordance with local regulation.

**Contaminated packaging** Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD.QTY.

IMDG UN1950, AEROSOLS, 2.1, LTD. QTY.

#### 15. REGULATORY INFORMATION

# **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
1,1-DIFLUOROETHA NE	Х	Х	Х	Х	Х	Х	Х	Х
DIMETHYLETHER	Х	Х	X	Х	Х	Х	Х	Х
HEXANE	Х	Х	Х	Х	Х	Х	Х	Х
DIMETHYL POLYSILOXANE	Х	Х	Not listed	х	X	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations,

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
HEXANE - 110-54-3	110-54-3	10-20	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Star Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
HEXANE	5000 lb		RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ

# **U.S. State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:



This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical Name	California Prop. 65	
HEXANE - 110-54-3	Developmental, Male 10-20%	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,1-DIFLUOROETHANE	X	X	
75-37-6			
DIMETHYLETHER	X	X	X
115-10-6			
HEXANE	X	X	X
110-54-3			

EPA Pesticide Registration Number Not applicable

# Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

WHMIS Hazard Class

A Compressed gases D2B Toxic materials B5 Flammable aerosol

# **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical

hazards -

<u>HMIS</u> Health Hazard 2\* Flammability 4 Physical Hazard 1 Personal protection B Chronic Hazard Star Legend Chronic Health Star Hazard Repeated or prolonged exposure may cause central nervous system

damage

Issuing date 28-Apr-2017 Revision Date 28-Apr-2018

**Revision Note** 

(M)SDS sections updated 9 15

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**