Section 1: IDENTIFICATION

Product Name: Crystal Simple Green [®] Industrial Cleaner & Degreaser Additional Names:			
Manufacturer's Part	Number: *Please refer to Secti	on 16	
Recommended Use:Cleaner & Degreaser for water tolerant surfaces.Restrictions on Use:Do not use on non-rinsable surfaces.			
15922 F	e Makers, Inc. Pacific Coast Highway ton Beach, CA 92649 USA	Telephone: Fax: Email:	800-228-0709 ● 562-795-6000 <i>Mon – Fri, 8am – 5pm PST</i> 562-592-3830 info@simplegreen.com
Emergency Phone: Chem-Tel 24-Hour Emergency Service: 800-255-3924			

Section 2: HAZARDS IDENTIFICATION

This product is classified as hazardous (Eye Corrosive/Irritant - Category 2B) under 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200).

OSHA HCS 2012 Label Elements Signal Word: Warning

Hazard Symbol(s)/Pictogram(s): None required

Hazard Statements: H320 – Causes eye irritation.

Precautionary Statements:

P264 – Wash hands thoroughly after handling.

P305 + P351 + P338 – IF IN EYS: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 – If eye irritation persists: Get medical advice/attention.

Hazards Not Otherwise Classified (HNOC): None Known

Other Information: None Known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Percent Range
Water	7732-18-5	> 87%*
Ethoxylated Alcohol	68439-46-3	< 5%*
Sodium Citrate	68-04-2	< 5%*
Tetrasodium N, N-bis(carboxymethyl)-L-glutamate	51981-21-6	< 1%*
Sodium Carbonate	497-19-8	< 1%*
Citric Acid	77-92-9	< 1%*

*specific percentages of composition are being withheld as a trade secret

Section 4: FIRST-AID MEASURES

Inhalation:	Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.
Skin Contact:	Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.
Eye Contact:	Causes eye irritation. IF IN EYS: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	May cause upset stomach. Drink plenty of water to dilute. See section 11.

Safety Data Sheet: Crystal Simple Green® Industrial Cleaner & Degreaser

Version No. 19000-14A Issue Date: September 26, 2014

Supersedes Date: June 7, 2013

OSHA HCS-2012 / GHS

Section 4: FIRST-AID MEASURES - continued

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Specific Hazards Arising from Chemical: Special Protective Actions for Fire-Fighters: Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water. In event of fire, fire created carbon oxides may be formed. Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: *For non-emergency and emergency personnel:* See section 8 – personal protection. Avoid eye contact. Wear safety goggles.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values: No components listed with TWA or STEL values under OSHA or ACGIH.

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.

Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.

Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: **Clear Colorless Liquid** Odor: No added odor **Odor Threshold:** Not determined **pH** ASTM D-1293: 9.8-10.8 Freezing Point ASTM D-1177: 0-3.33°C (32-38°F) Boiling Point & Range ASTM D-1120: 101°C (213.8°F) > 212°F Flash Point ASTM D-93: Evaporation Rate ASTM D-1901: ½ Butyl Acetate @ 25°C Flammability (solid, gas): Not applicable Upper/Lower Flammability or Explosive Limits: Not applicable

Partition Coefficient: n-octanol/water: Not determined **Autoignition Temperature:** Non-flammable **Decomposition Temperature:** 109°F Viscosity: Like water **Specific Gravity** ASTM D-891: 1.01 - 1.03**Water & fragrance exemption in calculation VOCs: 0% SCAQMD 304-91 / EPA 24: 0 lb/gal 0 g/LCARB Method 310**: 4.0 g/L 0.033 lb/gal 0.4% SCAQMD Method 313: Not tested Not determined VOC Composite Partial Pressure:

Issue Date: September 26, 2014

Supersedes Date: June 7, 2013

OSHA HCS-2012 / GHS

Section 9: PHYSICAL AND CHEMICAL PROPERTIES - continued

Vapor Pressure ASTM D-323: Vapor Density:

Version No. 19000-14A

0.60 PSI @77°F, 2.05 PSI @100°F Not determined **Relative Density** ASTM D-4017: **Solubility**:

8.34 – 8.42 lb/gal 100% in water

Section 10: STABILITY AND REACTIVITY

Reactivity:	Non-reactive.
Chemical Stability:	Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Excessive heat or cold.
Incompatible Materials:	Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.
Hazardous Decomposition Products:	Normal products of combustion - CO, CO2.

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation - Skin Contact -	Overexposure may cause headache. Not expected to cause irritation, repeated contact may cause dry skin.
	Eye Contact - Ingestion -	Causes eye irritation. May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Numerical Measures of Toxicity				
Acute Toxicity:	Oral LD50 (rat)	> 5 g/kg body weight		
	Dermal LD50 (rabbit)	> 5 g/kg body weight		
		Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals		
Skin Corrosion/Irritation: Non-irritant per Dermal Irritection [®] assay modeling. No animal testing performed.				
Eye Damage/Irritation	: Irritant per Ocula	Irritant per Ocular Irritection [®] assay modeling. No animal testing performed.		
Germ Cell Mutagenicit	Germ Cell Mutagenicity: Mixture does not classify under this category.			
Carcinogenicity:	Mixture does not	t classify under this category.		
Reproductive Toxicity:	Mixture does not	Mixture does not classify under this category.		
STOT-Single Exposure:	Mixture does not	Mixture does not classify under this category.		
STOT-Repeated Exposi	ure: Mixture does not	t classify under this category.		
Aspiration Hazard:	Mixture does not	t classify under this category.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.

Aquatic: Not tested on finished formulation.

Terrestrial: Not tested on finished formulation.

Persistence and Degradability:	Inherently and Readily biodegradable per OECD 302B testing
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Version No. 19000-14A Issue Date: September 26, 2014 Supersedes Date: June 7, 2013

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal - check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: Dispose of in accordance with local regulations.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number: Transport Hazard Class(es):	Not applicable Not applicable	U.N. Proper Shipping Name: NMFC Number:	Cleaning Compound, Liquid NOI 48580-3	
Packing Group:	Not applicable	Class:	55	
Environmental Hazards:	Marine Pollutant - NO			
Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code): Unknown.				
	r needs to be aware of/comply w either within or outside their pre	-	n.	
U.S. (DOT) / Canadian TDG:	Not Regulated for shipping.	ICAO/ IATA:	Not classified as Hazardous	
IMO / IDMG:	Not classified as Hazardous	ADR/RID:	Not classified as Hazardous	

Section 15: **REGULATORY INFORMATION**

All components are listed on: TSCA and DSL Inventory.

SARA Title III: Sections 311/312 Hazard Categories – Not applicable. Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Not applicable. Sections 302 – Not applicable.

Not applicable Clean Air Act (CAA): **Clean Water Act (CWA):** Not applicable

State Right To Know Lists:	No ingredients listed		
California Proposition 65:	No ingredients listed		
Texas ESL:			
Ethoxylated Alcohol 68	439-46-3	60 μg/m³ long term	600 μg/m³ short term
Sodium Citrate 68	8-04-2	5 μg/m³ long term	50 μg/m³ short term
Sodium Carbonate 49	07-19-8	5 μg/m³ long term	50 μg/m³ short term
Citric Acid 77	/-92-9	10 μg/m³ long term	100 μg/m ³ short term

Section 16: OTHER INFORMATION

<u>Size</u>	<u>Item Number</u>	<u>UPC</u>
2 oz	0600000119011 & 0600000119021	043318190117
2 oz, 48 per case	0610004819011 & 0610004819021	043318190117
4 oz	060000119004	043318001550
4 oz, 24 per case	0610002419004	043318001550
24 oz	060000119024	043318000164
24 oz, 12 per case	0610001219024	043318000164
24 oz, 60 per case	0630006019024	043318000164
1 gallon	060000119128	043318000188
1 gallon, 6 per case	0610000619128	043318000188
5 gal	060000119005	043318000140
15 gal	060000119015	043318000263
55 gallon	060000119055	043318190599

Issue Date: September 26, 2014

Supersedes Date: June 7, 2013

Section 16: OTHER INFORMATION - continued 260 gallon 060000119066 043318190667 275 gallon 060000119275 043318000195 USA items listed only. Not all items listed. USA items may not be valid for international sale. NFPA: Health – Eye Irritant Stability - Stable Flammability – Non-flammable Special - None Acronyms IARC NTP National Toxicology Program International Agency for Research on Cancer OSHA Occupational Safety and Health Administration CPSC **Consumer Product Safety Commission** DSL **Domestic Substances List** TSCA **Toxic Substances Control Act**

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department. This SDS has been revised in the following sections: Revised SDS layout

Version No. 19000-14A

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.