

Solventol® 2409

Version 0.1 Revision Date 06/01/2015 Print Date 06/01/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Solventol[®] 2409

Substance number : REL_8362

Chemical usage : Cleaning Compound

Manufacturer or supplier's details

Company : Chemetall US, Inc.

Address : 675 Central Avenue

New Providence NJ 07974

Telephone : (800) 526-4473 Telefax : (908) 464-4658

Emergency telephone no : CHEMTREC - 800-424-9300, 1-703-527-3887 (International)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	powder
Colour	brown
Odour	musty
Hazard Summary	Harmful if swallowed. Harmful by inhalation. Causes severe burns.

GHS Classification

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**

Do not breathe dust or mist.

Wash skin thoroughly after handling.

This product is distributed by Plastic Process Equipment, INC. PPE Part # S122011 Chemtall product Solventol 2409 8303 Corporate Park Drive, Macedonia, OH 44056 Ph# 800-362-0706 WWW.PPE.COM

Safety Data Sheet



Solventol® 2409

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/

physician.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Inhalation : yes

Skin : yes

Ingestion : yes

Aggravated Medical

Condition

: None known.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHANo component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components



Solventol® 2409

Revision Date 06/01/2015 Version 0.1 Print Date 06/01/2015

Component	CAS-No.	Weight percent
Sulfamic acid	5329-14-6	90 - 100
Magnesium oxide	1309-48-4	1 - 5

Unidentified ingredients are considered not hazardous under Federal Hazard Communication Standard (29CFR 1910.1200).

Specific chemical identity of composition has been withheld as a trade secret.

Exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air.

If symptoms persist, call a physician.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Wash off immediately with plenty of water for at least 15

Take off contaminated clothing and shoes immediately. Get medical attention immediately if irritation develops and

persists

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Keep eye wide open while rinsing. Get medical attention immediately

If swallowed : Rinse mouth.

Drink plenty of water.

Never give anything by mouth to an unconscious person.

Get medical attention immediately

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Dry chemical

Carbon dioxide (CO2)

Foam Water spray

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Methods and materials for

containment and cleaning up

: Ensure adequate ventilation.

Avoid dust formation.

: Ventilate area.

Avoid dust generation

Sweep up and remove immediately.

Keep in suitable, closed containers for disposal.

Flush with plenty of water.

This product is distributed by Plastic Process Equipment, INC. PPE Part # S122011 Chemtall product Solventol 2409 8303 Corporate Park Drive, Macedonia, OH 44056 Ph# 800-362-0706 WWW.PPE.COM

Safety Data Sheet



Solventol® 2409

Version 0.1 Revision Date 06/01/2015 Print Date 06/01/2015

Additional advice : Never return spills in original containers for re-use.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid breathing dust.

Use only with adequate ventilation.

Conditions for safe storage : Keep containers dry and tightly closed to avoid moisture

absorption and contamination.

Store indoors in a cool, well-ventilated place

Protect from direct contact with water or excessive moisture.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Magnesium oxide	1309-48-4	TWA (Inhalable fraction)	10.000000 mg/m3	ACGIH
		TWA (fume, total particulate)	15.000000 mg/m3	OSHA Z-1
		TWA (Fume - total particulate)	10.000000 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Hand protection

Remarks : Impervious gloves

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Rubber or plastic apron

Hygiene measures : Avoid contact with skin, eyes and clothing.

Wear suitable gloves and eye/face protection.

Wear suitable protective clothing.

Wash hands before breaks and immediately after handling the

product.

Provide adequate ventilation.
Avoid breathing dust or vapor.
Keep away from food and drink.



Solventol® 2409

Version 0.1 Revision Date 06/01/2015 Print Date 06/01/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : brown
Odour : musty

pH : < 2.5, Concentration: 40.00000 g/l

Freezing point : not applicable

Boiling point/boiling range : no data available

Flash point

does not flash

Evaporation rate : Not applicable
Upper explosion limit : Not applicable.
Lower explosion limit : Not applicable.
Vapour pressure : no data available
Relative density : not applicable
Bulk density : 77.79 lb/ft3

Solubility(ies)

Water solubility : Appreciable

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Exposure to moisture.

Incompatible materials : Bases

Strong oxidizing agents

Warning! Do not use together with other products. May

release dangerous gases (chlorine).

Hazardous decomposition

products

: Hydrogen when reacts with certain metal.

Nitrogen Oxides Sulphur oxides ammonia



Solventol® 2409

Version 0.1 Revision Date 06/01/2015 Print Date 06/01/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : 3,202.000000 mg/kg

Method: Calculation method

Components:

Sulfamic acid:

Acute oral toxicity : LD50 rat: 3,160.000000 mg/kg

LD50 mouse: 1,312.000000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: no data available



Solventol® 2409

Version 0.1 Revision Date 06/01/2015 Print Date 06/01/2015

octanol/water

Other adverse effects

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Refer to all federal, provincial, state and local regulation prior

to disposition of container and unused contents by reuse,

recycle or disposal.

SECTION 14. TRANSPORT INFORMATION

International regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION

TSCA Status : All components of this material comply with US TSCA

requirements.

OSHA Hazards : Combustible dust WHMIS Classification : E: Corrosive Material

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

US State Regulations

Massachusetts Right To Know

Magnesium oxide 1309-48-4



Solventol® 2409


Pennsylvania Right To Know

Sulfamic acid 5329-14-6 Magnesium oxide 1309-48-4

New Jersey Right To Know

Sulfamic acid 5329-14-6 Magnesium oxide 1309-48-4

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Corrosive Acid

Safety Glasses, Gloves, Apron, Dust Respirator

SECTION 16. OTHER INFORMATION

Further information

Version 1.0

Revision Date 06/01/2015

Chemetall US, Inc. warrants that the products described herein will conform with its published specifications.

The products supplied by Chemetall and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of the Chemetall materials for their own particular purpose. Since buyer's conditions of use of products are beyond Chemetall's control, Chemetall does not warrant any recommendations and information for the use of such products. CHEMETALL DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH THE USE OF ITS PRODUCTS.