

All Sales Are Final
All Prices Cut By 50% Or More!!
Barrels and Screws

NEW SCREWS

<u>MAKE</u>	<u>DESCRIPTION</u>	<u>SALE PRICE</u>
ARBURG	18MM ARBURG SCREW, (P/N AS18M) 23" OAL 26:1 L/D RATIO 135M STEEL NITRIDE HARDENED DWG D-2584	235.00
ARBURG	30MM ARBURG SCREW, 22.625" OAL 19:1 L/D RATIO RATIO 135M STEEL NITRIDE HARDENED DWG D-2584	334.50
BATTENFELD	40MM BATTENFELD SCREW, 30.315" OAL 12:1 L/D RATIO 4140HT, COLMONOY 56 & CHROME PLATED DWG A-4090	307.50
CINCINNATI	1-5/8" CINCINNATI SCREW, 36.25" OAL 16:1 L/D RATIO CPM9V HEAT TREATED DWG C-1774	395.00
JACO	1-1/2" JACO SCREW, 19.5" OAL 12:1 L/D RATIO CPM9V HEAT TREATED DWG A-4091	288.75
KAWAGUCHI	40MM KAWAGUCHI SCREW, 28.5" OAL 24:1 L/D RATIO 135M STEEL NITRIDE HARDENED DWG B-7004..	292.50
KLOCKNER-WINDSOR	18MM KLOCKNER-WINDSOR SCREW, 28.5" OAL 24:1 L/D RATIO CPM9V HEAT TREATED DWG B-5080	259.50
NIIGATA	35MM NIIGATA SCREW, 32.312" OAL 18:1 L/D RATIO MADE OF D-2 STEEL DWG B-7079	361.25
NISSEI	56MM NISSEI SCREW, 53.438" OAL 19.1 L/D RATIO D-2 STEEL HEAT TREATED DWG B-5495	527.83
REED	2" REED TE SCREW, 41.281" OAL 17:1 L/D RATIO 135M STEEL NITRIDE HARDENED DWG D-3109	309.38
REED	3" REED TD SCREW, 59.75" OAL 16:1 L/D RATIO 4140HT STELLITE #6 & NITRIDE HARDENED DWG D-2896.	556.88
TRUEBLOOD	1-1/2" TRUEBLOOD SCREW, 29.844" OAL 12:1 L/D RATIO D-2 HEAT TREATED 1.364 DIA. SHANK DWG D-3750	316.00
VAN DORN	40MM VAN DORN SCREW, 38.187" OAL 18:1 L/D RATIO 4140HT STEEL, COLMONOY 56 & POLISH ONLY DWG C-1728	269.00
VAN DORN	65MM VAN DORN SCREW, 59.625" OAL 18:1 L/D RATIO 4140HT STEEL, COLMONOY 56 & POLISH	505.33
VAN DORN	69MM VAN DORN SCREW, 64.375" OAL 18:1 L/D RATIO 135M STEEL NITRIDE HARDENED DWG B-1941	467.50
VAN DORN	30MM VAN DORN SCREW, 31.496" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS30M	239.50

NEW SCREWS

<u>MAKE</u>	<u>DESCRIPTION</u>	<u>SALE PRICE</u>
VAN DORN	30MM VAN DORN SCREW, 31.496" OAL 18:1 L/D RATIO CPM9V HEAT TREATED PART# SVS30M	354.00
VAN DORN	30MM VAN DORN SCREW, 31.496" OAL 18:1 L/D RATIO D-2 HEAT TREATED PART# VS30MD2	235.75
VAN DORN	30MM VAN DORN SCREW, 31.496" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & CHROME PART# VS30M6C	246.00
VAN DORN	30MM VAN DORN SCREW, 31.496" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & NITRIDED PART# VS30M6N	265.00
VAN DORN	30MM VAN DORN SCREW, 31.496" OAL 18:1 L/D RATIO 4140HT COLMONOY #56 & NITRIDED PART# VS30M56N	273.50
VAN DORN	35MM VAN DORN SCREW, 35.354" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS35M	259.00
VAN DORN	35MM VAN DORN SCREW, 35.354" OAL 18:1 L/D RATIO CPM9V HEAT TREATED PART# SVS35M	390.75
VAN DORN	35MM VAN DORN SCREW, 35.354" OAL 18:1 L/D RATIO D-2 HEAT TREATED PART# VS35MD2	277.00
VAN DORN	35MM VAN DORN SCREW, 35.354" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & CHROME PART# VS35M6C	259.50
VAN DORN	35MM VAN DORN SCREW, 35.354" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & NITRIDED PART# VS35M6N	278.00
VAN DORN	35MM VAN DORN SCREW, 35.354" OAL 18:1 L/D RATIO 4140HT COLMONOY #56 & NITRIDED PART# VS35M56N	291.50
VAN DORN	38MM VAN DORN SCREW, 36.750" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS38M	265.00
VAN DORN	40MM VAN DORN SCREW, 38.187" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS40M	267.00
VAN DORN	40MM VAN DORN SCREW, 38.187" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & CHROME PART# VS40M6C	273.00
VAN DORN	40MM VAN DORN SCREW, 38.187" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & NITRIDED PART# VS40M6N	289.00
VAN DORN	50MM VAN DORN SCREW, 49.375" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS50M	307.00
VAN DORN	50MM VAN DORN SCREW, 49.375" OAL 18:1 L/D RATIO CPM9V HEAT TREATED PART# SVS50M	571.00
VAN DORN	50MM VAN DORN SCREW, 49.375" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & CHROME PART# VS50M6C	325.00
VAN DORN	50MM VAN DORN SCREW, 49.375" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & NITRIDED PART# VS50M6N	336.00

NEW SCREWS

<u>MAKE</u>	<u>DESCRIPTION</u>	<u>SALE PRICE</u>
VAN DORN	50MM VAN DORN SCREW, 49.375" OAL 18:1 L/D RATIO 4140HT COLMONOY #56 & NITRIDED PART# VS50M56N	750.00
VAN DORN	65MM VAN DORN SCREW, 59.625" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS65M	782.00
VAN DORN	65MM VAN DORN SCREW, 59.625" OAL 18:1 L/D RATIO CPM9V HEAT TREATED PART# SVS65M	1983.00
VAN DORN	65MM VAN DORN SCREW, 59.625" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & CHROME PART# VS65M6C	799.00
VAN DORN	65MM VAN DORN SCREW, 59.625" OAL 18:1 L/D RATIO 4140HT STELLITE #6 & NITRIDED PART# VS65M6N	839.00
VAN DORN	65MM VAN DORN SCREW, 59.625" OAL 18:1 L/D RATIO 4140HT COLMONOY #56 & NITRIDED PART# VS65M56N	991.50
VAN DORN	69MM VAN DORN SCREW, 62.225" OAL 18:1 L/D RATIO 135M STEEL NITRIDED PART# VS69M	982.00

REPAIRED SCREWS

<u>MAKE</u>	<u>DESCRIPTION</u>	<u>SALE PRICE</u>
KAWAGUCHI	60MM KAWAGUCHI SCREW, 63.875" OAL 21:1 L/D RATIO FLIGHT O.D. REBUILT WITH STELLITE #6 & CHROME PLATED DWG A-4932	543.75

REBUILT BARRELS WITH TOOL STEEL SLEEVES

<u>MAKE</u>	<u>DESCRIPTION</u>	<u>SALE PRICE</u>
VAN DORN	35MM VAN DORN BARREL 32.906" OAL WITH A FULL LENGTH D-2 TOOL STEEL SLEEVE PART# V35BRD2	568.00
VAN DORN	35MM VAN DORN BARREL 32.906" OAL WITH A FULL LENGTH CPM10V TOOL STEEL SLEEVE PART# V35BRST	888.00
VAN DORN	65MM VAN DORN BARREL 58.386" OAL BELL END WITH A FULL LENGTH D-2 TOOL STEEL SLEEVE PART# V65BRD2B	1356.00
VAN DORN	65MM VAN DORN BARREL 58.386" OAL BELL END WITH A FULL LENGTH CPM10V TOOL STEEL SLEEVE PART# V65BRSTB	2540.00