

# ODDS & ENDS LIST

## MISC. HEATERS

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QTY</u>	<u>PRICE</u>	<u>SALE</u>
SBT3N1J10A	THINCAST 3-3/4 X 1-1/2, 120/240V-500W	1	67.65	33.85
125CH24A1X-1056	COILED CABLE HTR 1 X 1, 120V-275W, 24" S.S. CONDUIT W/26" LEADS 2A ORIENTATION	1	141.45	70.73
125CH38A2X-250	COILED CABLE HTRS 1 X 1-1/2, 120V-175W, 36"2 FIBERGLASS LEADS, 2A ORIENTATION		168.00	84.00
125CH38A1X-654	COILED CABLE HTR, 1-1/2 X 1, 240V-325W, 36" FIBERGLASS LEADS, 2B ORIENTATION	1	168.00	84.00

## CARTRIDGE HEATERS

HR25015CB	1/4 X 1-1/2, 240V-350W, 10" STD LEADS	50	9.20	4.60
E2A55-L12	1/4 X 2, 120V-100W, 12" FIBERGLASS LEADS	2	20.45	10.23
E2A56-D3	1/4 X 2, 120V-150W- 6" SWAGED LEADS	3	23.05	11.55
HR25020J-10	1/4 X 2, 240V-300W 10" SWAGED LDS.(BUDGET)	25	7.95	7.00
E3A60-D36	1/4 x 3, 240v-200w, 36" SWAGED LEADS	4	29.08	14.60
E3A60-HR12	1/4 X 3, 240V-200W, 12" RIGHT ANGLED LEADS	3	28.88	14.50
E3A51-HR12	1/4 X 3, 240V-300W, 12" RIGHT ANGLES LEADS	12	26.58	13.29
E4A29-L12	1/4 X 4,120V-200W	5	25.99	13.00
2A4A/PDA	1/4 X 4, 240V-300W	3	16.25	8.13
2E4A/PDU14	1/4 X 4, 240V-400W, TYPE E-12" S.S. BRAID	5	28.00	14.00
2E4A/PDA72	1/4 X 4, 240V-300W, 72" S.S. BRAID LEADS	6	50.25	25.15
E4AX112A	1/4 X 4, 120V-175W, 10" SWAGED LEADS	4	26.95	13.50
HR25040BY	1/4 X 4, 240V-300W 24" RT.ANGLE S.S. BRAID	6	22.69	12.00
HR25050AZ	1/4 X 5, 240V-350W, 10: S.S. BRAID RT ANGLE LEADS	11	15.30	7.65

2E5A/PDK72	1/4 X 5, 240V-350W, 72" S.S BRAID LEADS	11	51.70	25.85
AB6A/PBU	1/4 x 6, 240v-150w, 12" LEADS	24	20.15	10.00
E6AX73A	1/4 X 6, 120V-250W, 10" SWAGED LEADS	5	32.60	16.30
E7AX30A	1/4 X 7, 120v-275W, 10" SWAGED LEADS	8	35.20	17.60
AE7A/PEP14	1/4 X 7, 240V-500W, TYPE E, 12" BRAID, 14" LEAD	6	29.60	15.00
E9AX16B	1/4 X 9, 120V-306W, 6' SWAGED LEADS	3	54.85	27.45
3A1G/PBU	3/8 X 1-3/4", 240V-150W, 60" LEADS	6	20.65	10.33
CG1JX14A	3/8 X 1-1/2, 120V-100W, PTFE SEAL 4-1/2" SILICONE LEADS	6	12.20	6.10
3A2A/DYZ	3/8 X 2, 120V-400W, 36" GALV CONDUIT	1	27.85	13.93
G2A127-1EX1H	3/8 X 2, 120V-200W, 6" SWAGED LEADS WITH FLANGE, 1/4" NO HEAT	3	33.15	16.60
G2A84-GR3	3/8 X 2, 120V-100W, 6" R/A LEADS	3	27.05	13.55
G2A47-J2W4	3/8 X 2, 120V-250W, 2" R/A CONDUIT, 4" LEADS	2	37.65	18.85
G2A84-M2A4	3/8 X 2, 120V-100W, 2" R/A BRAID, 4" PTFE LEADS AND SEAL	2	44.75	22.40
G2A84-NP4	3/8 X 2, 120V-100W, 4-1/2" SILICONE LEADS AND SEAL	3	34.90	17.45
G2A84-M2M4	3/8 X 2, 120V-100W, 2" R/A HOSE AND 4" PTFE LEADS AND SEAL	2	44.40	22.20
G2A73-1ET34 (CALIF)	3/8 X 2, 240V-250W, 36" SWAGED LEADS 1" UNHEATED AREA	10	32.50	16.25
G2A84-NC6	3/8 X 2-3/4, 120V-100W, 4" BRAID, 6" LEADS 3/4" NO HEAT	1	21.35	10.70
3Z3A/PCR36 (CALIF)	3/8 X 3, 240V-260W, 12" BRAID, 36" LEADS	1	25.50	12.75
G5JX156A	3/8 X 5-1/2, 120V-300W, 10" SWAGED LEADS	7	29.80	14.90
3E6A/PIP38	3/8 X 6, 240V-1000W, TYPE "E", 38" LEADS	2	41.34	20.67
3K6A/PEP62	3/8 X 6, 240V-500W, 62" R/A, TYPE K LEADS	5	53.75	26.88
G7A43-FS	3/8 X 7, 240V-1000W, 1" DIA. FLANGE	1	41.44	20.72
G10A35	3/8 X 10, 120V-600W	1	39.20	19.60
G10LX7A	3/8 X 10-5/8, 240V-300W, 10" SWAGED LEADS	3	40.85	20.40

J2E115-GH26 (CALIF)	1/2 X 2-1/4, 240V-400W, 24" ARMOR LEADS	5	32.85	16.43
J2J132A	1/2 X 2-1/2, 460V-310W, 10" LEADS	2	20.00	10.00
J2J172-K6J10J	1/2 X 2-1/2, 240V-400W, 6" MI CABLE 10" PTFE LEADS	3	56.80	28.40
J2A96-NS4	1/2 X 2-3/4", 240V-300W, 4" SJO CORD 6" LEADS	3	37.05	18.55
J3A137-D58H	1/2 X 3, 120V-750W, 58" SWAGED LEADS	10	42.00	21.00
4AJ3B/PUP18	1/2 X 3-1/8", 240V-250W, 18" FLEX LEADS	16	29.85	14.95
J3A65SP	1/2 X 3-3/16, 120V-300W, 10" SWAGED, 1" NO HEAT	1	21.50	10.75
J4A73-BE12	1/2 X 4, 240V-1000W, 3/8 NPT BRASS BUSHING, 12" LEADS	1	35.89	17.95
4T4E/PEP	1/2 X 4, 240V-500W, TYPE "T" 10" LEADS	12	46.80	23.40
4B4A/PIP36 (CALIF)	1/2 X 4, 240V-1000W, 36" SWAGED IN LEADS	1	27.30	13.65
4B5A/PIP36 (CALIF)	1/2 X 5, 240V-1000W, 36" SWAGED IN LEADS	1	29.10	14.55
4B6A/PIP36 (CALIF)	1/2 X 6, 240V-1000W, 36" SWAGED IN LEADS	1	31.05	15.50
46NX-A	1/2 X 6, 240V-775W, INTERNAL TC (TIP)	2	34.85	17.45
J6L3-GH24	1/2 X 7, 208V-500W, 24" FLEXIBLE CONDUIT	2	49.50	24.75
J8A100-L12	1/2 X 8, 240V-1500W, 12" FIBERGLASS LEADS	2	37.69	18.85
4BA8A/PIP36 (CALIF)	1/2 X 8, 240V-1000W, 36" SWAGED IN LEADS	1	34.80	17.40
J9J34-D12H	1/2 X 9-1/2, 240V-200W, 12" SWAGED LEADS HIGH TEMP	4	49.50	25.00
J10AX500C	1/2 X 10, 240V-2000W, INTERNAL TC (MIDDLE) 12" LEADS	2	75.16	37.60
J12A-4026	1/2 X 12, 240V-500W, BRASS FITTINGS, 24" STRAIGHT BX CONDUIT	8	65.85	32.93
J12A49-L12	1/2 x 12, 240v-1000w, 108" SS HOSE OVER 110" LEADS	18	111.08	55.54

J14A-4025	1/2 X 14, 240V-500W, BRASS FITTINGS, 24" STRAIGHT BX CONDUIT	8	77.85	38.93
J14A39-BA12	1/2 X 14, 240V-2300W, WITH FS FLANGE	1	62.64	31.35
4MZ14H/PIP14	1/2 X 14, 240V-1000W, 12" S.S. CONDUIT, 1/2" BUSHING	1	46.85	23.45
J18A19-D24	1/2 X 18, 240V-1500W, W/24"SWAGED IN LEADS	1	69.58	34.79
L4A99	5/8 X 4, 120V-250W, GALVANIZED CONDUIT	4	25.75	12.90
L5G3-GX2BX (CALIF)	5/8 X 5-3/8, 120V-800W, 4" SS HOSE, 20" LEADS	3	49.15	24.60
L6A28	5/8 X 6, 120V-300W, 12" LEADS	2	34.92	17.46
L10A50-3429	5/8 X 10, 240V-2000W, 24" S.S. HOSE	4	88.69	44.35
5B32B/AZT12	5/8 X 32-1/8", 277V-2400W, 12" TYPE B LEADS	18	78.85	39.43
HR62360K	5/8 X 36-1/2",240V/3000W,12" SS CONDUIT 14" LEADS	2	78.00	39.00
6Q6AP/PIP38	3/4 X 6, 240V-1000W, 36" R/A CONDUIT	6	65.00	32.50
N10A-612	3/4 X 10, 240V-600W, 12" S.S BRAID 36" LEADS	5	77.35	38.68
N12A30A	3/4 X 12, 120V-450W, 10" LEADS	1	64.05	32.00
N12A24-G72C74	3/4 X 12, 240V-2000W, 72" SS HOSE OVER 74" LEADS	2	114.74	57.37
EA12A/PIF	3/4 X 12, 240V-950W, 10" LEADS	1	44.15	22.10
EL12A/PFK38	3/4 X 12, 240V-600W, 38" S.S. CONDUIT	1	76.40	38.20

### CERAMIC HEATER BANDS

C-40274	3-1/2 X 4, 230V-1000W	1	76.00	38.00
N-54530	5 X 2, 240V-1000W, FLANGE, ULTRA THIN	5	46.70	23.35
N-54529	5 x 4, 240v-2000w, FLANGE, ULTRA THIN	10	66.00	33.00
C-55515	5-1/2 X 4-1/2, 240/480V-1500W, WELD B NUTSTRAP POST TERMS	2	103.50	51.75
C-7636 (Fla)	6-1/2 x 3, 480v-2000w, INS PLUS, POSTS, FLANGE	7	60.15	30.10
C-49364	7-1/2 X 3, 240V-2225W, POSTS	1	37.50	18.75
C-16097	9-1/2 X 5, 240V-6000W, INS. PLUS	1	121.80	60.90
C-61583	10-1/2 X 2-1/2, 240V-3000W, FLANGE LOCK UP			

	POST TERMS	2	108.77	54.40
C-76430	140MM X 100MM, 480V-1090W, POSTS, FLANGE LOCK UP	3	92.56	46.28

### MICA HEATER BANDS

M-51962	1 x 3-1/2, 220v-385w, TYPE G & J, 1/2 TC HOLE 90 DEG. FROM GAP	4	43.20	21.60
M-44039-3A	1-1/4 X 1-1/4, 240V-125W, 12" S.S. BRAID	4	21.45	10.73
M-26651-6B	1-1/4 X 3-1/2, 240V-400W, 12" S.S. BRAID	2	22.35	11.20
M-20592-3A	1-1/2 X 1, 220V-150W, 40" CONDUIT	10	61.93	30.97
M-15346-2	1-1/2 X 1-1/2, 277V-275W, 12" FIBERGLASS LEADS	1	16.94	8.50
M-9469-8	1-1/2 X 3, 240V-500W, ONE PIECE, POSTS	10	21.75	10.88
M-52024-1	1-1/2 X 3, 230V-375W, 146" SS BRAID LEADS BARREL NUTSTRAP LOCK UP	2	70.09	35.05
M-33666-3A	2 X 1, 240V-175W, 36" ARMOR	2	24.95	12.50
M-62237-7	2 X 1-5/16, 240V-250W, TYPE 7, OPTION B 12" LEADS	10	23.00	11.50
M-18165-2	2 X 1-1/2, 240V-400W, TYPE 2	1	18.60	9.30
M-37745-23	2-1/8 X 2-1/2, 480V-650W, TYPE 23, 2 PIECE	21	30.10	15.05
M-30292-1	2-1/2 X 1, 120V-275W, 48" S S BRAID	2	27.80	13.90
M-9475-2	2-1/2 X 1, 277V-400W, 12" FIBERGLASS LEADS	10	17.38	8.60
M-22884-8	2 X 2-5/8, 240V-625W, POSTS	2	19.20	9.60
M-42149-22	2-1/2 X 6-1/2, 120V-900W, TYPE 22	2	29.90	15.00
M-36680-8GE	2-3/8 X 1-3/8, 220V-200W, POST, TERM BOX TC HOLE 180 DEGREE FROM GAP	2	31.00	15.50
M-43622-8ME	2-3/4 X 3-1/2, 230/460V-625W, BARREL NUTSTRAP POST TERMS W/BOX	1	55.48	27.74
M-52571	3 X3, 240v-250w, TYPE 2	14	23.10	11.55
M-52572	3 X 3, 240V-250W, TYPE 2, 2 NOTCHES AT GAP 3/4" AND 1-1/2"	12	34.60	17.30
BA030-060E	3 X 6, 240V-1800W, TYPE 1, 10" BRAID	4	30.80	15.40
M-7513-14B	3-1/2 X 1, 120V-200W, 36" SS BRAID	3	24.15	12.10

M-46889	3-1/2 X 2-1/2, 230V-250W, TYPE 8, POSTS	1	23.10	11.60
M-62207-14A	3-1/2 X 3, 240V-750W, 54" RIGHT ANGLE CONDUIT	4	40.66	20.33
M-48513-2G	3-1/2 X 3-1/2, 240V-300W, TYPE 2, 1/2 TC HOLE 180 DEGREE FROM GAP, IN MIDDLE OF BAND 12" LEADS	2	29.15	14.60
M-32173-SQ	4 X 4 X 4, 120V-500W, 48" ARMOR	6	53.50	26.75
M-44572	5 X 3-1/4, 240V-2200W, 1 PC BARREL NUTSTRAP POST TERMS	1	32.10	16.05
M-28216-10	5-1/4 X 7, 480V-600W, BARREL NUT STRAP POST TERMS	4	70.09	35.05
M-57609-14BG	6" X 5-5/1/2", 240V-1400W, ADJ, 2 PC, BARREL NUT STRAP, POST TERMS	12	54.30	27.15
M-20899	6 X 2, 120V-1000W PER HALF, TYPE 9	7	33.80	16.90
M-57606-14BG	6 X 3, 240V-1250W, 12" SS BRAID, (2) 1" TC HOLES, FLANGE LOCK UP	1	45.00	22.50
M-5186-1	6 X 4, 240V-400W, 12" SS BRAID	2	30.90	15.45
M-71470-10	6 X 5, 240V-275W, TYPE 10	1	42.15	21.08
M-46288-8	6-7/8 X 3-1/2, 240V-200W, TYPE 8	4	33.00	16.50
M-15466-10	7-1/2 X 5, 240V-3500W, POST TERMINALS	1	36.08	18.05
M-13652-10	7-7/8 X 4-1/2, 460V-3150W, TYPE 10	11	42.88	21.44
M-12214-21	8 X 1-1/2, 240V-400W, POSTS, 2 PC.	6	28.85	14.45
M-4040-21	8 X 1-1/2, 240V-500W, POSTS, 2 PC.	10	28.85	14.45
M-8779-9E	8-1/2 X 1-1/2, 240V-600W, POST, 2 PC, TERM BOX	6	40.55	20.30
M-62206	8-1/2 X 2, 240V-900W, 2 PC 74" RIGHT ANGLE CONDUIT, W/STRAIN RELIEF 1/2" TC HOLE	3	113.96	56.98
BA090-010J	9 X 1, 230V-950W, TYPE 3, 72" ARMOR	2	26.95	13.50
M-57316	10 X 1-3/4, 240V-700W, 270 DEGREE COVERED BARREL NUTSTRAP, POST TERMS	5	57.65	28.83
M-31491-2	11 X 2, 240V-375W, 12" FIBERGLASS LEADS	2	30.00	15.00

### WATLOW HEATER BANDS

STB1E1E3-L12	1-1/4 X 1-1/4, 240V-250W, 12" FIBERGLASS LEADS	3	31.40	15.70
--------------	--	---	-------	-------

STB1E1E4-L12	1-1/4 X 1-1/4, 240V-750W, 12" FIBERGLASS LEADS	8	31.40	15.70
STB1E2A1-A12	1-1/4" X 2", 240V-200W, 12" BRAIDED LEADS	15	26.70	13.35
B1J1EP1	1-1/2 X 1-1/4, 240V-225W	1	21.00	10.50
B1J1JN5	1-1/2 X 1-1/2, 120V-275W, 12" LEADS	4	34.05	17.00
B1J1JN6-9048	1-1/2 X 1-1/2, 240V-275W, 12" SS LEADS	1	36.60	18.30
LB1J1JN5	1-1/2 X 1-1/2, 120V-275W, 12" BRAIDED LEADS WITH CLAMPING STRAP LOCK UP	5	34.05	17.00
SHV1J1J1-L10	1-1/2 X 1-1/2, 120V-275W, 10" FIBERGLASS LEAD (WATLOW EXCLUSIVE)	1	10.50	5.25
MB1J2AN3	1-1/2" X 2", 240V-900W, 12" SS BRAID, 14" LEADS 180 DEGREES FROM GAP	1	66.40	33.20
SHV1J4A4-L10	1-1/2 X 4, 240V-550W, 10" LEADS	1	48.70	24.35
B1N1JN3	1-3/4 X 1-1/2, 240V-200W, 12" LEADS	2	32.60	16.30
STB1N1J8-L	1-3/4" X 1-1/2", 240V-300W, 14" STD LEADS	1	35.70	17.85
B2J2GP1	2-1/2 X 2-3/8, 240V-550W, POSTS	1	32.85	16.45
MB03A1JB-1543	3" X 1-1/2", 240V-500W, 12" SS BRAID, 14" LEADS 180 DEGREES FROM GAP	2	67.65	33.83
B4R3AP1	4-7/8 X 3, 120/240V-900W, 2 PC, POSTS	1	46.80	23.40
B5E1JR2	5-1/4 X 1-1/2, 120V-300W, POSTS, 2 PC NO STRAPS . MUST ORDER !	5	30.80	15.40
STB5A1J1-TK	5 X 1-1/2, 240V-700W, QUICK CLAMP	1	37.62	18.81
B6A1JP16	6 X 1-1/2, 120V-350W, POSTS	6	44.50	22.25
B6J2AP1	6-1/2 X 2, 120V-500W 2PC	1	63.30	31.65
B7R1JC3	7-7/8 X 1-1/2, 220V-1000W, 80" SS LEADS	1	67.75	33.90
B8A3RE1	8 X 3-3/4, 240V-2250W, 6' STAINLESS ARMOR	1	110.75	55.40
B9A1JP10	9 X 1-1/2, 240V-750W, POSTS, 2 PC	1	48.85	24.45
B9N2AP1	9-3/4 X 2, 120V-1000W PER HALF, 2 PC, POST	1	57.95	29.00
MB01J2AX	1-1/2 X 2, 240V-450W, 12" B LEADS	1	64.50	32.25
MB1J2AB1A	1-1/2 X 2, 240V-600W, 12" B LEADS	1	63.20	31.60
MB4J4AP3	4-1/2 X 4, 240V-300W, POSTS	1	51.05	25.50
MB6A1JP2	6 X 1-1/2, 120V-1000W, POSTS	7	53.10	26.55

ME7J3AP2	7.5 X 3 480V - 2325W	1	105.05	52.53
ME6J5AP1	6.5 X 5 480V - 3000W, POSTS	1	138.15	69.08
ME5R5AP3	5.75 X 5 480V - 2350, POSTS	1	132.05	66.03

### MISCELLANEOUS

NTC-348U	THERMOCOUPLES UNGROUNDED	3	10.50	
3525-B	OLD STYLE DIGI PROBE	1	49.00	24.50
S006-0016	GAS PROBE TYPE J	1	68.00	34.00
S006-0017	PENETRATION PROBE TYPE J	3	53.00	26.50
S006-0021	PENETRATION PROBE TYPE K	2	53.00	26.50
MFHL10	COMBO MAINFRAME	1	1661.00	830.05
00A477	GRINDING STONE, SIZE 2, FOR L-25A/L-35A	2	5.18	2.60
PDO31	TIGHT HEAD DRUMS 30 GAL., BUNG TYPE	26	50.00	25.00
	13" POWERROLLS (FOR OLD STYLE CONVEYOR)	3	294.00	147.00
	SPECIAL MANIFOLD, (1) 1-1/2 NPT INLET (5) 3/4" NPT OUTLETS, 15" OAL, S.S. 3" OUTLET SPACING, STYLE 1	1	144.00	72.00
	SPECIAL MANIFOLD, 1-1/4 INLET SIDE A, 2-1/4 INLET SIDE B, (10) 1-1/4" OUTLETS, 10 PORT, SIDE BY SIDE, S.S. 17" OAL, 6" WIDE	1	125.00	62.50
B-1630-24DR	ROLLER AND SHAFT	1	82.60	41.30
5GA5-1.25ME (FLA)	BURKS PUMP ASSY, 230V FOR OLD STYLE 0515	1	349.00	174.50
PIMB10	SINGLE ZONE CONTROL, 10 AMP, 120V WIRING	1	471.25	235.63
HD-3AC8	ROUND HOPPER MAGNET, 2-1/2" HOLE SIZE	1	150.00	
28TS1	28MM TOSHIBA SEAT	1		52.00
28TR1	28MM TOSHIBA RING	1		78.00
28TB1	28MM TOSHIBA RETAINER	1		130.00
STS4P	HYDRAULIC FILTRATION SYSTEM MACHINE MOUNT SER# STS400119,120,121	3	750.00	450.00
STS3	HYDRAULIC FILTRATION SYSTEM HAND CARRY SER#STS300214	1	750.00	450.00

## NOZZLES, THREAD ADAPTORS, MELT FILTERS

SPECIAL	ARBURG NOZZLE BODY, 4" LONG, STYLE C, FULL TAPER, M45 X 2 THDS, 25MM R.O. 1-3/4 BODY DIA.	1	78.00	39.00
SPECIAL	ARBURG NOZZLE BODY, 4" LONG, STYLE C, FULL TAPER, M35 X 2 THDS, 22MM R.O. 1-1/2 BODY DIA.	1	60.00	30.00
SPECIAL	NOZZLE BODY, DWG #B-7214, 13-1/2" LONG 1-3/4-8 LH THDS, 1" R.O., 1" BORE	1	231.00	115.50
SPECIAL	CINCI NOZZLE BODY, 2-1/2" BODY DIA., 3/8 CART HTR HOLES, 3/16" CART TYPE TC HOLE FLASH CHROM BODY	1	715.00	357.50
AR-22A5	ARBURG NOZZLE, G.P. 5" LONG	1	121.50	60.75
AR-29C7	ARBURG, REMOVABLE TIP STYLE, FULL TAPER 7" LONG, 52 X 2MM THD, 35MM R.O.	2	188.00	94.00
AR-31A5	ARBURG RT NOZZLE BODY G.P. 4-1/4 LONG M55X3MM L.H. THD, 40MM R.O. 1.421 THD LENGTH	1	121.50	60.75
BY-39D5TC	BOY NOZZLE, 1/2 RAD, 1/4 OR W-1/4-28 TC HOLE	1	111.00	55.50
C-104G9	CINCI NOZZLE BODY, 8-1/4 LONG, CARTRIDGE HEATED, WITH 3/16 CTC HOLE	1	193.50	96.75
I-10A13	IMPCO NOZZLE, G.P. 13" LONG	1	225.00	112.50
I-80A8PRB	IMPCO, REMOVABLE TIP, G.P., PINEAPPLE BORE, 8" LONG, 1-1/4-12 THD, 3/4 R.O. BAND HEATED	1	148.00	74.00
MFB500V-188TC	MELT FILTER BODY, 7-1/4 LONG, W-1/8 TC IN HEX	1	159.50	79.75
MFB1000TO-6785	MELT FILTER BODY	1	253.00	126.50
MFB1000V-1765	VAN DORN MELT FILTER, 5.187 OAL, 3/8-24 TC IN HEX	1	226.50	113.25
M1-129A16TC	MITSUBISHI, REMOVABLE TIP, G.P., 16" LONG 1-1/2-12 LEFT HAND THD, .925" R.O., 3/8-24 TC HOLE IN HEX, BAND HEATED	1	315.00	157.50
NA-ADAPT	NOZZLE THD ADAPTOR, 1-3/4-8 TO 1-1/4-12 THD	1	145.00	72.50
N-16D5	NEWBURY, ONE PIECE, 5" LONG, 1-1/2-12 THD 27/32 R.O., 3/4 RAD, 1/8 OR, BAND HEATED	1	117.00	58.50
R-1D4	NOZZLE, 4" OAL, 3/4" RAD, 3/8" OR	3	109.00	54.50

R-1D5	NOZZLE, 5" OAL, 1/2" RAD, 1/4" OR.	1	109.00	54.50
S-166D7	SUMITOMO NOZZLE, 7" OAL, STYLE D, 1/2" RAD, 5/32" OR 3 TC HOLES, 4MM X 7MM TC HOLES 8MM DEEP	1	306.50	153.25
V-18A8TCPRB	VAN DORN, REMOVABLE TIP, G.P. 8" LONG, 1-1/4-12 THD., 3/4 R.O. 1/4-28 TC HOLE, PINEAPPLE STYLE	1	95.00	47.50
V-18A8TC	VAN DORN, REMOVABLE TIP, G.P. 8" LONG 1-1/4-12 THD, 3/4 R.O., W/1/8 NPT AND 3/8-24 HOT MELT TCS IN HEX, BAND HEATED	3	148.50	74.25
V-19D6 (CALIF)	VAN DORN, ONE PIECE, G.P., 6" LONG, 1/2 RAD, 1/8 OR, BAND HEATED	1	132.00	66.00

### NOZZLE TIPS

BCRTN112 (CALIF)	BER. COPPER TIP, NYLON 1/2 RAD, 1/2 OR.	1	25.95	12.98
BCRTEG200F18	BER COPPER TIP, GP, 2" LONG FLAT RAD, 1/8 OR.	1	53.00	26.50
BCRTEG600118	BER COPPER TIP, G.P. 6" LONG 1/2 RAD, 1/8 OR.	1	80.00	40.00
BCRTEG2341332	BER. COPPER TIP, G.P. 2-3/4 LONG, M22X1.5 THD, 1/2 RAD, 3/32 OR.	1	57.00	28.50
RTFT118	FULL TAPER TIP, 1-1/2 LONG, 1/2 RAD 1/8 OR. WITH 1"-12 THREAD	1	19.00	9.50
RTFT318	FULL TAPER TIP, 1-1/2 LONG, 3/4 RAD WITH 1"-12 THREAD	1	19.00	9.50
RTEG3381316	G.P. TIP, 3-3/8 LONG, 1/2 RAD, 3/16 OR.	1	61.00	30.50
RTEG600118TC	G/P/ TIP, 6" LONG, 1/2 RAD, 1/8 OR TC HOLE	1	80.50	40.25
RTEG400118	G.P. TIP, 4" LONG, 1/2 RAD, 1/8 OR.	1	69.00	34.50
RTMN1530	NYLON METRIC TIP (IN COMPUTER 1-8-10 ON MISC SHELF)	1	19.95	19.95